



Cold Water Series





Unbeatable versatility – high-pressure cleaning with Kärcher.

The name Kärcher is synonymous worldwide with power, quality, innovation and for cleaning expertise which has been setting the standard for over 75 years. Kärcher invented the high-pressure cleaner in 1950 and has been refining the principle of high-pressure cleaning ever since. More performance with less consumption, longer service life with shorter cleaning times. As a world market leader, Kärcher offers a range of products that leaves nothing to be desired in terms of technical refinement and versatility – operating with cold or hot water, powered by electric motors or internal combustion engines, mobile or stationary.

Cold Water | Gas Powered | Direct Drive



HD 2.5/27 P ST

This versatile cold water mini skid is designed to easily mount to trailers and UTVs, allowing you ultimate portability and power in a cold water unit. Combined durability of the Subaru EX17 engine and Kärcher crankcase pump with U-Seal technology provides you dependability in the toughest conditions. Both units include a 100' high pressure hose that connect to a Professional-Duty gun and wand.



12V Booster Pump is protected in an all-weather box.



HD 2.5/27 P ST

HD 2.5/27 P ST Plus (includes 65 gallon tank)

- Weld-less Stainless Steel Base
- Subaru EX170 Gas Engine with low-oil alert and 5-Year Warranty
- Kärcher crankcase pump with U-Seal technology and 7-Year Warranty
- Thermal Pump Protection protects the pump from overheating if left in bypass
- Includes 100' High Pressure Hose
- 12V Booster Pump in Plastic Box for all-weather protection
- 4 High Pressure Quick-Disconnect Nozzles
- Professional-duty High Pressure Gun and Wand
- Rubber Mounted Feet for easy installation
- Heavy-duty braided vinyl hose can easily be plumbed to a water tank



Technical Data

GPM	2.5	2.5
PSI	2700	2700
CC / Engine	169 / Subaru EX170	169 / Subaru EX170
Fuel	Gas	Gas
Pump	Kärcher KG	Kärcher KG
Ship Weight	lbs. 125	125
Dimensions (L x W x H)	inches 36 x 29 x 40	36 x 29 x 40
Order No.	1.107-215.0	1.107-216.0
List Price	\$2,050.00	\$2,600.00

Cold Water | Gas or Diesel Powered | Belt Drive

Liberty HD PB/DB Cage



Our roll cage models are the most powerful units in our cold water line, with cleaning power of up to 5000 PSI. Protected by a rugged powder coated roll cage built of 1-1/4" steel, the PB Cage units feature powerful Vanguard, Honda or Kohler engines, tri-plunger oil bath Kärcher pumps, 13-inch tubed pneumatic tires, and an extra rugged belt-drive assembly with notched V belts and cast iron pulleys. All single- and double-axle models are ETL safety certified.

HD 3.7/35 PB Cage HD 4.0/40 PB Cage HD 4.0/50 PB Cage* HD 4.5/50 PB Cage* HD 3.4/30 DB Cage*

- Belt-drive
- Rugged steel chassis & roll cage
- Powerful Honda, Vanguard or Kohler engine
- Cleaning power up to 5000 PSI
- Electric start on dual-axle models*
- Industrial belt-drive Kärcher pump with 7-year warranty
- 13" tubed pneumatic tires



Technical Data

	HD 3.7/35 PB Cage	HD 4.0/40 PB Cage	HD 4.0/50 PB Cage*	HD 4.5/50 PB Cage*	HD 3.4/30 DB Cage*
GPM	3.7	4.0	4.0	4.5	3.4
PSI	3500	4000	5000	5000	3000
Engine	Honda GX390	Vanguard 16	Honda GX630	Honda GX660	Kohler KD420
CC	389	479	688	688	404
Start	Recoil	Recoil	Electric	Electric	Electric
Fuel	Gas	Gas	Gas	Gas	Diesel
Pump	Kärcher KM	Kärcher KT	Kärcher KX	Kärcher KX	Kärcher KM
Axles	1	2	2	2	2
Ship Weight	lbs. 350	470	495	500	410
Dimensions (L x W x H)	inches 42 x 26 x 30	42 x 26 x 36	42 x 26 x 36	42 x 26 x 36	42 x 26 x 36
Order No.	1.575-205.0	1.575-207.0	1.575-200.0	1.575-201.0	1.575-202.0
List Price	\$3,398.00	\$5,299.00	\$6,199.00	\$7,150.00	\$6,150.00

Options (field installed)

		List Price
9.801-028.0	EZEE 100' Hose Reel kit, single axle (hose not included)	\$272.65
9.801-029.0	100' Hose Reel kit, 5000 psi, double axle (hose not included)	\$379.25

Cold Water | Gas Powered | Belt Drive



Liberty HD PB

Our cold-water belt-drive series provides a broad selection of rugged belt-drive units, all with reliable Honda GX engines, which deliver cleaning volume of up to 3.7 GPM. Each model is ETL certified to UL-1776 safety standards and comes with a rugged steel chassis, cast iron belt pulley system, tubed pneumatic tires, and industrial-grade Kärcher crankcase pump.

HD 3.0/30 PB

HD 3.7/35 PB

HD 3.0/40 PB

- Chrome handles
- Powder coated steel chassis
- Reliable Honda GX engine
- Water volume up to 3.7 GPM
- Industrial belt-drive Kärcher pump
- Tubed pneumatic tires



Technical Data

	HD 3.0/30 PB	HD 3.7/35 PB	HD 3.0/40 PB
GPM	3.0	3.7	3.0
PSI	3000	3500	4000
Engine	Honda GX270	Honda GX390	Honda GX390
CC	270	389	389
Fuel	Gas	Gas	Gas
Pump	Kärcher KD	Kärcher KM	Kärcher KM
Ship Weight	lbs. 225	250	250
Dimensions (L x W x H)	inches 45 x 26 x 24	45 x 26 x 24	45 x 26 x 24
Order No.	1.575-152.0	1.575-154.0	1.575-155.0
List Price	\$2,749.00	\$3,069.00	\$3,179.00

Cold Water | Gas Powered | Direct Drive

Xpert Series

Kärcher's Xpert series is a professional-grade line of cold water pressure washers. Powered by reliable Honda engines, Kärcher offers your choice of 160CC units with axial pumps or 196CC and 389CC units with Kärcher crankcase pumps. These Xpert units feature commercial-duty guns and wands and come with downstream chemical injection, four hardened stainless steel quick-couple nozzles and feature 25 or 50-ft of contractor-grade hose rated for 4,000 PSI. The precision welded frames and pneumatic tires make these pressure washers easy to maneuver on any terrain yet they are compact enough to fit in the trunk of most cars.



HD 2.3/23 PS KAR



HD 2.3/23 P COM

HD 2.5/27 P



HD 3.8/35 P

HD 3.5/40 P

- Reliable Honda engines
- Axial or crankcase pumps
- Welded steel chassis protected by all weather, epoxy powder coat finish
- Ergonomic design
- EZEE pull starting
- Pneumatic tires
- UL-1776 safety certification



Technical Data

GPM		2.3	2.3	2.5	3.8	3.5
PSI		2300	2300	2700	3500	4000
Engine		Honda GC160	Honda GC160	Honda GX200	Honda GX390	Honda GX390
CC		160	160	160	160	160
Pump		Kärcher Legacy Axial (1-year warranty)	Comet Axial (1-year warranty)	Kärcher KG (7-year warranty)	Kärcher KS (7-year warranty)	Kärcher KS (7-year warranty)
Ship Weight	lbs.	72	73	99	157	157
Dimensions (L x W x H)	inches	36.5 x 23.5 x 30.5	36.5 x 23.5 x 30.5	36.5 x 23.5 x 30.5	36.5 x 23.5 x 30.5	36.5 x 23.5 x 30.5
Order No.		1.107-104.0	1.107-103.0	1.107-106.0	1.107-108.0	1.107-219.0
List Price		\$698.00	\$768.00	\$1,238.00	\$1,798.00	\$1,798.00

Pallet Savings - Kärcher's Xpert series is available for purchase in pallets. Choose from a pallet of a single model, or choose one of our mixed pallet options.

		List Price
8.917-675.0	Pallet of 8 Xpert-HD 2.3/23 P Comet	\$5,969.00
8.917-676.0	Pallet of 8 Xpert-HD 2.3/23 P Kärcher	\$5,419.00
8.917-678.0	Pallet of 8 Xpert-HD 2.5/27 P	\$9,609.00
8.917-680.0	Pallet of 2 Xpert-HD 3.8/35 P	\$3,458.00
8.921-610.0	Pallet of 2 Xpert-HD 3.5/40 P	\$3,458.00
8.917-681.0	Mixed Pallet, 5 Xpert-HD 2.3/23 P Comet & 3 Xpert-HD 2.5/27 P	\$7,349.00
8.917-682.0	Mixed Pallet, 5 Xpert-HD 2.3/23 P Kärcher & 3 Xpert-HD 2.5/27 P	\$6,999.00

Cold Water | Gas Powered | Direct Drive

Liberty HD Cart

These Liberty Series models are tough gasoline-powered direct-drive cold water machines that deliver cleaning power of up to 3500 PSI. Built on compact sturdy steel frames, each unit features a dependable industrial-grade Honda engine, Kärcher crankcase pump, hose/gun rack, detergent injection, and tubed pneumatic tires. All models are ETL certified.



HD 2.3/24 P

HD 2.5/27 P

HD 3.0/30 P

HD 3.8/35 P

HD 3.5/40 P

- Chrome handles
- Steel frame with powder coat finish
- Commercial grade Honda GX engine
- Cleaning power up to 3500 PSI
- Industrial direct-drive Kärcher crankcase pump



Technical Data

	HD 2.3/24 P	HD 2.5/27 P	HD 3.0/30 P	HD 3.8/35 P	HD 3.5/40 P
GPM	2.3	2.5	3.0	3.8	3.5
PSI	2400	2700	3000	3500	4000
Engine	Honda GX160	Honda GX200	Honda GX270	Honda GX390	Honda GX390
CC	163	196	270	389	389
Pump	Kärcher KG	Kärcher KG	Kärcher KG	Kärcher KS	Kärcher KS
Ship Weight	lbs. 148	155	175	180	180
Dimensions (L x W x H)	inches 35 x 21 x 24	35 x 21 x 24	35 x 21 x 24	35 x 21 x 24	35 x 21 x 24
Order No.	1.575-100.0	1.575-101.0	1.575-102.0	1.575-104.0	1.107-223.0
List Price	\$1,548.00	\$1,768.00	\$1,948.00	\$2,298.00	\$2,298.00

Options (field installed)

List Price

9.801-026.0	100' EZEE hose reel kit (hose not included)	\$238.68
-------------	---	----------

Cold Water | Gas Powered | Direct Drive

Residential Pro-Grade power

Kärcher offers a line of gas-powered, direct-drive cold water pressure washers designed for residential use. They are easy to use and transport.



HD 2.3/26 CV*

HD 2.5/30 CH

HD 3.6/40 CH

- Durable steel frame
- Portable, easy to transport
- 1-year pump warranty



Technical Data

GPM*		2.3	2.5	3.6
PSI*		2600	3000	4000
Engine		Honda GCV160	Honda GC190	Honda GX390
CC		160	187	389
Pump		Kärcher Axial	Kärcher Axial	Kärcher Axial
Ship Weight	lbs.	78	77	144
Dimensions (L x W x H)	inches	21 x 23 x 31	22 x 23 x 35	37 x 24 x 31
Order No.		1.107-077.0	1.107-078.0	1.107-079.0
List Price		\$680.00	\$780.00	\$1,870.00

* Performance certified to PWMA standard +/- 20% of advertised specifications

Cold Water | Gas Powered | Direct Drive | Belt Drive



Liberty Aluminum Series

Kärcher's Aluminum Liberty Series HD pressure washer offers commercial grade cleaning in a light-weight, corrosion-resistant and easily mobile design. Built with a weldless aluminum frame, these units provide best-in-class maneuverability and are easy to push and pull, in part to their innovative shape and weight distribution. Cast aluminum rotary joints allow for easy transport, easy storage and ergonomic operation. All models are ETL certified to both UL and CSA safety standards.

HD 2.5/27 P AL HD 3.0/30 P AL HD 3.8/35 P AL HD 3.5/40 P AL HD 2.5/27 PB AL HD 3.7/35 PB AL

- Weldless aluminum frame
- Cast aluminum rotary joints
- Quick-couple high pressure nozzles
- Professional-Duty accessories
- On-board hose/wand hanger
- 7-year pump warranty
- 3-year engine warranty



Technical Data

	2.5	3.0	3.8	3.5	2.5	3.7
GPM	2.5	3.0	3.8	3.5	2.5	3.7
PSI	2700	3000	3500	4000	2700	3500
Engine	Honda GX200	Honda GX270	Honda GX390	Honda GX390	Honda GX200	Honda GX390
CC	196	270	389	389	196	389
Pump	Kärcher KG	Kärcher KD	Kärcher KS	Kärcher KS	Kärcher KD	Kärcher KM
Ship Weight lbs.	125	148	172	172	196	249
Dimensions (L x W x H) inches	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	40.8 x 22.5 x 39.6	49.9 x 27 x 40.6	49.9 x 27 x 40.6
Order No.	1.107-129.0	1.107-130.0	1.107-131.0	1.107-227.0	1.107-132.0	1.107-133.0
List Price	\$1,698.00	\$2,158.00	\$2,378.00	\$2,378.00	\$2,275.00	\$2,795.00

Options (field installed)

List Price

8.929-062.0	Detergent injector up to 3 GPM	\$26.47
9.802-225.0	Detergent injector over 3 GPM	\$37.79
8.723-636.0	Detergent nozzle	\$4.16
4.767-041.0	Dirt Blaster nozzle - HD 2.5/27 P AL	\$80.92
9.302-447.0	Dirt Blaster nozzle - HD 3.0/30 P AL	\$89.20
9.302-443.0	Dirt Blaster nozzle - HD 3.8/35 P AL	\$89.20

Cold Water | Electric Powered | Direct Drive



Liberty HD Cart

Our electric-powered machines are durable direct-drive units that can deliver cleaning volume of up to 3.5 GPM. Powered by heavy duty industrial-grade motors, these compact electric units feature tri-plunger oil bath Kärcher pumps, powder coated steel chassis, hose racks, detergent injection, insulated guns and wands, and tubed pneumatic tires. All models are ETL certified to UL and CSA safety standards.

HD 2.0/10 Ed

HD 1.9/15 Ed

HD 2.8/10 Ed

HD 3.5/20 Ea

- Chrome handles
- Steel frame and chassis protected by powder coat finish
- Direct-drive Kärcher crankcase pump
- Available in 120V and 230V
- ETL certified to UL and CSA standards



Technical Data

	HD 2.0/10 Ed	HD 1.9/15 Ed	HD 2.8/10 Ed	HD 3.5/20 Ea
GPM	2.0	1.9	2.8	3.5
PSI	1000	1350	1000	2000
HP	1.5	2	2	5
Electrical	120V / 1ph	120V / 1ph	120V / 1ph	230V / 1ph
Amps	15	20	20	22
Pump	Kärcher KE	Kärcher KE	Kärcher KE	Kärcher KE
Ship Weight lbs.	140	150	150	167
Dimensions (L x W x H) inches	35 x 21 x 24	35 x 21 x 24	35 x 21 x 24	35 x 21 x 24
Order No.	1.575-250.0	1.575-251.0	1.575-252.0	1.575-253.0
List Price	\$1,548.00	\$1,648.00	\$1,629.00	\$1,999 .00

Options (field installed)

Options (field installed)	List Price
9.801-027.0 100' EZEE hose reel kit (hose not included)	\$266.50

Cold Water | Electric Powered | Direct Drive

Wall-Mount Cold Water



Kärcher's wall-mount unit has a durable steel frame, amazingly quiet 1725 RPM motor, and is perfect for in-shop uses. A remote on/off switch with a 10' electrical cord allows the machine to be mounted high on a wall away from backspray. ETL certified to UL and CSA safety standards.



Shown with optional wall mount bracket

HD 2.0/14 Ed +

- Accepts hot water up to 180 degrees
- Remote on/off switch
- Kärcher Triplex crankcase pump
- Pressure controlled auto start/stop safety feature
- Reliable industrial motor



Technical Data

GPM	1.8
PSI	1400
HP	2
Electrical	120V / 1ph
Amps	20
Pump	Kärcher KE
Ship Weight	lbs. 120
Dimensions (L x W x H)	inches 20 x 19 17
Order No.	1.107-088.0
List Price	\$1,728.00

Options (field installed)

		List Price
8.920-952.0	Wall mount bracket	\$223.20

Cold Water | Electric or Gas Powered | Direct Drive

Liberty Hand Held

These light-industrial hand held units are significantly more rugged than typical consumer substitutes and are built with durable steel frames. Hand-held models come with a dependable axial pump, high pressure hose, a stainless steel wand and detergent injector with brass soap nozzle.



HD 2.0/10 Ed

HD 1.8/14 Ed

HD 2.3/23 P

HD 2.3/24 P

- Durable steel frame
- Axial pump on most models
- Portable, easy to transport

Ships from:
Monterrey

Technical Data

GPM	2.0	1.8	2.3	2.3
PSI	1000	1400	2300	2400
HP	1.5	2	5	5.5
Electrical	120V / 1ph	120V / 1ph	NA	NA
Amps	15	20		
CC/Engine	NA	NA	160 / Honda GC160	163 / Honda GX160
Pump	Comet Axial	Comet Axial	Kärcher Axial	Kärcher KG
Ship Weight	lbs.	80	95	160
Dimensions (L x W x H)	inches	16 x 24 x 22	16 x 24 x 22	16 x 24 x 22
Order No.		1.575-400.0	1.575-401.0	1.575-351.0
List Price		\$938.00	\$1,019.00	\$788.00
				\$1,268.00

Cold Water | Electric Powered | Belt Drive



Rugged Electric Roll-Cage Design

These new belt-drive, electric roll cage models feature cleaning power of 5000 PSI and are available with either 230/3 phase or 460/3 phase. These units are specialty machines perfect for use in the marine market cleaning the bottom of boats or in the concrete industry for cleaning trucks, forms and handling equipment. Hoses, wands, guns and fittings are high-pressure rated and both models are ETL safety certified.

HD 5.0/50 Eb Cage

HD 5.0/50 Ec Cage

- Rugged steel chassis & roll cage
- Kärcher Belt-drive crankcase pump
- Cleaning power of 5000 PSI
- 50' high-pressure hose
- 20 HP Baldor motor
- 13" tubed pneumatic tires



Technical Data

GPM	5.0	5.0
PSI	5000	5000
HP	20	20
Electrical	230V / 3ph	460V / 3ph
Amps	48	26
Pump	Kärcher KX	Kärcher KX
Ship Weight	lbs. 480	480
Dimensions (L x W x H)	inches 42 x 26 x 30	42 x 26 x 30
Order No.	1.107-084.0	1.107-087.0
List Price	\$7,300.00	\$7,300.00

Options (field installed)

		List Price
9.801-029.0	100' hose reel kit, 5000 PSI (hose not included)	\$379.25

Cold Water | Electric Powered | Belt Drive

Cold-Water Cabinet



Our cold-water cabinet units really take the heat, accepting heated water up to 180°F. Protected in durable steel cabinets, they demonstrate industrial strength throughout, including belt-drive Kärcher crankcase pumps, industrial Baldor motors, and magnetic starters for operator safety. All models are ETL certified to UL and CSA safety standards.

HD 2.8/10 ST Ed B


HD 4.2/20 ST Ea B

HD 4.2/20 ST Eb B

HD 4.2/20 ST Ec B

HD 4.2/20 ST Eh B

- Accept hot water up to 180°F
- Powder coated steel cabinets
- Belt-drive pump w/ 7-year warranty
- Available in 120V, 208V, 230V, 460V



Technical Data

	HD 2.8/10 ST Ed B	HD 4.2/20 ST Ea B	HD 4.2/20 ST Eb B	HD 4.2/20 ST Ec B	HD 4.2/20 ST Eh B
GPM	2.8	4.2	4.2	4.2	4.2
PSI	1000	2000	2000	2000	2000
HP	2	6	6	6	6
Electrical	120V / 1ph	230V / 1ph	230V / 3ph	460V / 3ph	208V / 3ph
Amps	20	29	22	11	16
Pump	Kärcher KD	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM
Ship Weight lbs.	210	285	255	260	265
Dimensions (L x W x H) inches	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16
Order No.	1.575-300.0	1.575-301.0	1.575-302.0	1.575-303.0	1.575-305.0
List Price	\$2,569.00	\$3,379.00	\$3,089.00	\$3,089.00	\$3,089.00

Options

Options	List Price
9.801-002.0* Conversion to Stainless Steel Cabinet	\$504.00
9.801-011.0* Auto Start/Stop	\$315.00
9.801-012.0* Time-Delay Shutdown	\$315.00
9.801-013.0* Hour Meter	\$63.00
9.801-031.0 Wheel Kit with Detergent Rack	\$377.00
9.801-033.0 Wall Mount Kit	\$141.75
8.903-043.0 Stainless Steel Wall Mount Kit	\$250.00
8.903-040.0 Floor Stand, 24" short	\$255.00

* Factory installed **hose not included



Wheel Kit with detergent rack and optional hose reel



Floor stand with caster wheels

HD 3.5/30 ST Ea B

HD 3.5/30 ST Eb B

HD 3.5/30 ST Ec B

HD 3.5/30 ST Eg B

HD 3.5/30 ST Eh B



Technical Data

GPM	3.5	3.5	3.5	3.5	3.5
PSI	3000	3000	3000	3000	3000
HP	7.5	7.5	7.5	7.5	7.5
Electrical	230V / 1ph	230V / 3ph	460V / 3ph	208V / 1ph	208V / 3ph
Amps	36	19	11	38	23
Pump	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM	Kärcher KM
Ship Weight lbs.	330	275	270	332	271
Dimensions (L x W x H) inches	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16	26 x 20 x 16
Order No.	1.575-306.0	1.575-307.0	1.575-308.0	1.575-309.0	1.575-310.0
List Price	\$4,519.00	\$3,499.00	\$3,499.00	\$4,829.00	\$3,599.00

Options

	List Price
9.801-034.0 Floor Stand, 36" Tall	\$273.00
8.903-617.0 Stainless Steel Floor Stand, 36" Tall	\$629.62
8.941-546.0 Stainless Steel Floor Stand, without Hose Hanger	\$739.50
9.801-035.0 Caster Wheels for Floor Stand	\$277.07
9.801-036.0** Hose Reel Kit, Floor Stand Only, 100 ft, No Hose	\$402.90
8.903-521.0** Hose Reel Kit for Wheel Kit, 100 ft, No Hose	\$225.00
9.802-265.0** Cox Reel, Wall Mount	\$301.30
8.903-039.0** Kit, Hose Reel w/Bracket for Stand & Wall Mount Kits	\$396.00

* Factory installed **hose not included

Cold Water | Electric Powered | Direct Drive

HD Class – durability in a small package.

Kärcher's Classic Series electric powered cold water units are compact, highly mobile and hard wearing. Built with high grade lightweight polypropylene and designed with usability and ergonomics in mind, these units feature patented direct drive Kärcher axial pumps with corrosion-resistant brass cylinder heads and protected by a 5-year warranty. They can deliver up to 4.5 GPM at 3200 PSI and are ETL certified to UL and CSA standards.



HD 1.8/13 C Ed*

HD 2.3/15 C Ed**

HD 2.3/14 C Ed Food†

HD 3.0/20 C Ea

- No fossil fuel emissions or fumes
- Ergonomic design
- Low-pressure soap injection system
- Complete trigger shut off
- Triple changeover nozzle
- Mid- and Super-Class models come with variable flow ServoPress gun
- ETL certified to UL and CSA standards

Technical Data

GPM		1.8	2.3	2.3	3.0
PSI		1300	1500	1400	300-2000
HP		2.2	3.2	3.2	5.2
Electrical		120V / 1ph	120V / 1ph	120V / 1ph	240V / 1ph
Amps		15	20	20	20
Pump		Kärcher Axial	Kärcher Axial	Kärcher Axial	Kärcher Axial
Ship Weight	lbs.	63	68	68	68
Dimensions (L x W x H)	inches	15 x 14 x 37	15 x 14 x 37	15 x 14 x 37	15 x 14 x 37
Order No.		1.514-136.0	1.150-626.0	1.150-629.0	1.150-625.0
List Price		\$1,135.00	\$1,535.00	\$2,100.00	\$1,600.00

† Accepts inlet water at temperatures up to 180°F *The HD 1.8/13 C Ed model does not feature variable flow-and-pressure and comes with extended trigger gun and rotating wand

** Super class units feature 4-pole water cooled motor and pneumatic tires

Cold Water | Electric Powered | Direct Drive



Easy press trigger gun

- Ergonomic design
- Soft grip for greater comfort.



Automatic pressure cut-off

- For reduced energy and water consumption.
- Switches off immediately when work is interrupted.



Servo Control

- Pressure and water flow can be adjusted at the gun.



Ultimate mobility

- For quick cleaning at different locations.
- Space-saving storage.




HD 3.0/20-4M Ea*

HD 3.5/30-4S Ea**

HD 3.7/22-4S Eg**

HD 4.5/32-4S Eb**

HD 4.5/32-4S Ec**



Technical Data

GPM		1.3-3.0	1.8-3.5	1.8-3.7	2.2-4.5	2.2-4.5
PSI		435-2000	435-3000	435-2200	435-3200	435-3200
HP		4.7	9	6.9	10	10
Electrical		220-240V / 1ph	220-240V / 1ph	200-208V / 1ph	230V / 3ph	460V / 3ph
Amps		20	30	30	30	16
Pump		Kärcher Axial	Kärcher Axial	Kärcher Axial	Kärcher Axial	Kärcher Axial
Ship Weight	lbs.	105	168	158	182	182
Dimensions	inches	18 x 16 x 40	22 x 20 x 43	22 x 20 x 43	22 x 20 x 43	22 x 20 x 43
Order No.		1.524-126.0	1.286-110.0	1.286-115.0	1.286-112.0	1.286-129.0
List Price		\$2,280.00	\$3,695.00	\$3,370.00	\$3,265.00	\$3,265.00

* Mid class units feature 4-pole air-cooled motor and two-tank SwitchChem system ** Super class units feature 4-pole water cooled motor and pneumatic tires

Cold Water | Gas Powered | Direct Drive

HD Handtruck Design

This series of commercial-duty, gas-powered cold water pressure washers offers the ideal balance between professional performance and value. Powered by reliable Honda engines, all four models have Kärcher's German-engineered, direct-drive axial pump, rugged steel frame with handtruck design, tubed pneumatic tires and 50' of commercial-duty hose (GX engine model come with a 100 ft. hose reel).



HD 2.5/24 P

HD 2.6/26 P

HD 3.1/31 P

HD 4.0/36 P

- Reliable Honda engines
- Kärcher axial pump
- Reinforced upright steel frame
- Unmatched value

- includes 100' hose reel

- includes 100' hose reel

Technical Data

	HD 2.5/24 P	HD 2.6/26 P	HD 3.1/31 P	HD 4.0/36 P
GPM	2.5	2.6	3.1	4.0
PSI	2400	2600	3100	3600
Engine	Honda GC160	Honda GC190	Honda GX270	Honda GX390
CC	160	187	270	389
Pump	Axial	Axial	Axial	Axial
Ship Weight	lbs. 148	155	166	180
Dimensions (L x W x H)	inches 35 x 21 x 24	35 x 21 x 24	24 x 32 x 43	24 x 32 x 43
Order No.	1.575-105.0	1.575-106.0	1.575-107.0	1.575-108.0
List Price	\$875.00	\$925.00	\$1,795.00	\$2,095.00

Options (field installed)

	List Price
9.801-253.0 Non-pivoting hose reel, 100' (hose not included)	\$165.00



makes a difference

For more information:

Head Office Germany

Alfred Kärcher GmbH & Co. KG
Alfred-Kärcher-Straße 28-40
71364 Winnenden

Phone +49 7195-14-0
Fax +49 7195-14-2212
www.kaercher.com

North America

Kärcher North America
750 W. Hampden Avenue
Suite 400
Englewood, CO 80110
U.S.A.

Phone 303-738-2400
Fax 303-738-2818
www.karcherna.com

North America

Kärcher Commercial
4275 Pacific Rim Blvd
Camas, WA 98607
U.S.A.

Phone 888-805-9852
Fax 800-248-8409
www.karchercommercial.com

North America

Kärcher Canada
6535 Millcreek Drive Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155
www.karcher.ca