


Professional wet and dry vacuum cleaners for all cleaning tasks.

Every experienced user knows that pure suction power alone says nothing about the real performance capability of a vacuum cleaner. The deciding factor is the overall design including all filters and controls, ergonomics, stability and optimal accessories. For decades, Kärcher has been setting standards with innovative technologies.





1 Gets into every corner

Kärcher has listened to what professional users want and developed precisely the accessories they need. Kärcher wet and dry vacuum cleaners have the accessories for diverse cleaning tasks. They even remove dirt in awkward and tight corners.

2 Patented Trigger Air draft Cleaning Technology (TACT)

Kärcher's patented Trigger Air draft Cleaning Technology (TACT) filter system allows for continuous fine and coarse dust retrieval without the need to shut the unit down for filter cleaning.

3 In daily use

Kärcher wet and dry vacuum cleaners make the work of contract cleaners and caretakers much easier. They remove even the most stubborn dirt and liquid in the shortest time.

	Container capacity (gal)	Air flow rate (cfm)	Vacuum motor (watts)	Waterlift (inches)	Electronic tank level monitor	Dust bag	Tact – auto filter cleaning system
Dry vacuum cleaners							
T12/1	3	130	1300	-	-	Cloth/2 ply Paper/Fleece	-
CV 71/2	9.25	224	2 x 802	-	-	Cloth/Paper/HEPA	-
Cordless vacuum cleaners							
BV 11/1 Bp	2.5	112	1295	-	-	Cloth/Paper	-
Upright vacuum cleaners							
CV 300	1	102	1000	-	-	3 ply Paper	-
CV 380	1	102	1000	-	-	3 ply Paper	-
Wet/dry vacuum cleaners							
NT 14/1 Eco Adv	3.7	129	1380	88.6	■	Paper/Fleece	-
NT 35/1 Tact	9.2	120	1265	88	■	2 ply Paper/Fleece	■
NT 45/1 Tact	11.9	120	1265	88	■	2 ply Paper	■
NT 48/1	12.6	141	1200	80	■	Paper	-
NT 65/2	17.2	229	1265	94	■	2 ply Paper	-
NT 68/1	18	142	1380	80	■	Paper	-

T 12/1



Cleaning in peace and quiet.

These dry vacuum cleaners are extremely quiet and therefore suitable for noise-sensitive areas such as hotels, reception areas and hospitals. Ergonomic foot switch and carry handle for stress-free working.



1 Performance in a convenient design

- The 40' long power cable can be wound fully around the cable storage integrated in the turbine head.
- Large permanent main filter guarantees optimal dust filtration and enable vacuum to be operated with or without a bag.
- Optional HEPA filtration capabilities.

2 Daily maintenance cleaning

- The T 12/1 has a large container capacity allowing long periods of uninterrupted use with low maintenance costs.
- Large, foot operated switch eliminates bending.

T 12/1

- 3 gallon tank
- 4 stage filtration, 99% at 0.3 microns
- Designed for easy mobility to the job
- 10" (254 mm) cleaning path

Technical data

Air flow rate	130 cfm (61 l / s)
Waterlift rating	98" waterlift
Container capacity	3 gallon (12 l)
Max. power rating	1.7 hp -1300 W
Hose length / diameter	8.2' / 1.25" (2.5 m / 32 mm)
Cable length	40' (12 m)
Operating noise level	61 dBA
Cleaning path	10" (254 mm)
Weight	14.5 lbs (6.6 kg)
Dimensions (L x W x H)	16.1" x 12.4" x 13.3" (410 mm x 315 mm x 340 mm)

Equipment

Suction hose with bend, 8.2' (2.5 m)	■
Suction tube, metal, 2 x 19.7" (0.5 m)	■
Washable nylon filter	■
Changeover floor tool, 11.2" (285 mm)	■
Order No.	1.355-127.0

■ Included in delivery.

BV 11/1



Productivity in a comfortable back pack vacuum.

The BV 11/1 back pack vacuum is ergonomically designed, making it comfortable to wear and easier to use. The power switch is mounted on the hip within easy view and reach of the operator. In addition, the quiet operation of the BV 11/1 prevents disruptive cleaning.



1 Ergonomic design

- Padded hip and shoulder harness increase comfort.

2 6-piece tool kit included

- Tools stow conveniently on the harness for easy accessibility.

BV 11/1

- 2.5 gallon capacity
- Ergonomically designed
- 6-piece tool kit
- Molded polyethylene housing

Technical data

Air flow rate	112 cfm (52 l / s)
Waterlift rating	104" waterlift
Container capacity	2.5 gallon (9.5 l)
Max. power rating	1.6 hp - 1300 W, flow through design with internal thermal protection
Hose length / diameter	5' / 1.5" (1.5 m / 38 mm)
Cable length	50' (15.2 m)
Operating noise level	67 dBA
Weight	11 lbs (5 kg)
Dimensions (L x W x H)	23.7" x 8.8" x 10.5" (602 mm x 215 mm x 268 mm)
Order No.	9.840-514.0

Standard Accessories

Order No.	Description	
8.619-894.0	Suction hose, 5' (1.5 m)	■
8.628-666.0	Wand tool	■
8.628-444.0	Floor tool	■
8.600-008.0	Upholstery tool	■
8.600-007.0	Dusting tool	■
8.628-451.0	Crevice tool	■
8.619-885.0	Filter bag - Paper	■

■ Included in delivery.

Optional Accessories

Order No.	Description
8.637-872.0	Hepa Filter Vacpac Upgrade Kit: includes filters, gasket, filter housing, fastener set
8.637-871.0	Hepa Filter Vacpac Kit: includes filters. Hepa Filter Upgrade Kit 8.637-872.0 must be installed first.

CV 300 CV 380



Dual motors for maximum power, superior maneuverability and quiet operation.

Kärcher's CV dual-motor upright vacuums are designed to be simultaneously powerful, lightweight and easy to maneuver. Our 1,000 watt vacuum motors pick up more dirt in a single pass than their comparable single-motor counterparts while our patented filtration system filters out particulates and allergens down to 0.3 microns.



1 Simple operation brush head

- No tool brush removal.
- Adjustable brush head for maximum cleaning effectiveness.

2 Simple operation debris removal

- Filter bag full indicator alerts the operator to restricted flow.
- Flip top access for easy bag change.

CV 300

CV 380

- Powerful dual motor upright vacuum
- innovative, articulating head for superior maneuverability
- Ergonomic carrying handle for easy transport
- Powerful dual motore upright vacuum
- Patented filtration system - large surface area, high efficiency to 0.3 microns

Technical data

	CV 300	CV 380
Working width	12" (305 mm)	15" (381 mm)
Vacuum motor	1.4 hp / 1000 W	1.4 hp / 1000 W
Housing	Injection molded, high impact ABS & PP plastic	Injection molded, high impact ABS & PP plastic
Brush drive	Non-slip toothed belt, enclosed safety clutch & speed control	Non-slip toothed belt, enclosed safety clutch & speed control
Waterlift	92" waterlift	92" waterlift
Air flow rate	102 cfm	102 cfm
Brush motor	.24 hp / 175 W	.24 hp / 175 W
Brush speed	2700 rpm	2700 rpm
Noise level	69.5 dBA	70 dBA
Wheels	2" diameter, rubberized	2" diameter, rubberized
Weight	19.6 lbs	20 lbs
Cable length	40', 18/3 SJT	40', 18/3 SJT
Dust bag	Triple layer bag, 3.5 liter, top-loading	Triple layer bag, 3.5 liter, top-loading
Dimensions (L x W x H)	47" x 12" x 8.5" (1193 mm x 305 mm x 216 mm)	47" x 15" x 8.5" (1193 mm x 381 mm x 216 mm)

Equipment

Equipment	CV 300	CV 380
Filter bag	■	■
Order No.	1.012-059.0	1.012-060.0

■ Included in delivery.

CV 71/1



Fast, efficient cleaning of large spaces

Kärcher's CV 71/2 wide area vacuum is a dual-motor, low-profile design that incorporates on-board tools for fast, efficient cleaning of large carpeted areas. The six position adjustable brush head allows the operator to clean virtually any floor or carpet type with just a single pass, while a built-in suspension system ensures consistent brush contact with the floor.



1 Convenient to use

- Foot lever allows for 6 brush height adjustments.
- Tools are conveniently stowed on-board vacuum for easy accessibility.
- Optional HEPA filtration bags.

CV 71/1

- Enclosed bag-in-bag design for four-stage filtration
- Six brush height adjustments
- built-in brush suspension ensure consistent brush contact

Technical data

Working width	28" (710 mm)
Vacuum motor	2 x 1.1 hp (2 x 800 W)
Construction	Rotationally molded polyethylene, heavy gauge steel frame; Stainless steel housing
Brush motor	.25 hp (186 W)
Airflow rate	224 CFM
Waterlift	63" waterlift
Cable length	75' (23 m) 14/3 SJTW
Wheels - front	Two, 1.6" (45 mm) non-marking swivel casters
Wheels - back	Two, 10" (254 mm) non-marking wheels
Weight	95 lbs (43 kg)
Dimensions (L x W x H)	59" x 31" x 18" (1500 mm x 787 mm x 457 mm)

Equipment

Filter bag, disposable paper	■
Filter bag, reusable cloth	■
HEPA filter bags	-
Order No.	1.012-564.0

■ Included in delivery.

NT 35/1 Eco



Efficient vacuum cleaners.

These powerful vacuum cleaners pick up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. Ideal for long periods of uninterrupted use and constant high suction power.



1 Tact system (Auto Filter Clean System)

- The filter is cleaned with strong air blasts. The process is triggered automatically whilst maintaining constant high suction power. Further advantages; low maintenance costs, long filter life.

2 On-board accessory storage

- On-board storage for all accessories, includes two hooks for the suction hose and power cord.

NT 35/1 Eco

- Tact – Auto Filter Clean System
- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	9.2 gallon (35 l)
Vacuum motor	8 AMPS
Waterlift	88"
Max. power rating	1,265 W
Filtration system	TACT
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	120 cfm
Operating noise level	67 dBA
Weight	25.3 lbs (11.5 kg)
Dimensions (L x W x H)	20.4" x 15" x 22.8" (520 mm x 380 mm x 580 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■
Dust bag	2-ply paper
Filter	Washable nylon filter
Wet and dry floor tool	■
Crevice tool	■
Order No.	1.184-854.0

- Included in delivery.

NT 45/1 Tact



Built to last.

High efficiency, low wear:

The motor of the NT 45/1 Tact has no carbon brushes – ideal for hard and long industrial use with a life expectancy of 5,000 hours.



1 Rugged and dependable commercial wet/dry vacuum

- Large rear wheels and front swivel casters for easy maneuverability.
- Metal Wand, Floor Tool, Crevice Tool, and Washable Nylon Filter are included with each NT wet/dry vacuum.
- Crush resistant hose stows conveniently on top for storage.
- Self-cleaning filter.
- Drain hose allows user to empty unit directly into a drain or gutter.

NT 45/1 Tact

- Tact – Auto Filter Clean System
- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	11.9 gallon (45 l)
Vacuum motor	8 AMPS
Waterlift	88"
Max. power rating	1,265 W
Filtration system	TACT
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	120 cfm
Operating noise level	67 dBA
Weight	27.5 lbs (12.5 kg)
Dimensions (L x W x H)	20.4" x 15" x 27" (520 mm x 380 mm x 686 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■
Dust bag	2-ply paper
Filter	Washable nylon filter
Wet and dry floor tool	■
Crevice tool	■
Order No.	1.145-834.0

- Included in delivery.

NT 65/2



For tackling tough jobs for industrial and commercial use.

Two powerful turbines, patented filter system, semi-automatic filter cleaning and large container capacity enable long periods of use with constant suction power.



1 On-board storage area

- Large on-board storage area for tools and accessories.

2 Integrated oil-resistant drainage hose

- Easily accessible drainage hose for convenient and safe liquid disposal.

NT 65/2

- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	17.2 gallon (65 l)
Vacuum motor	18 AMPS
Waterlift	88"
Max. power rating	1,265 W
Filtration system	Power filter clean
Cable length	33' (10 m)
Hose length & diameter	12' x 1.37" (3,658 mm x 35 mm)
Air flow rate	229 cfm
Operating noise level	74 dBA
Weight	41.9 lbs (19 kg)
Dimensions (L x W x H)	23.6" x 18.9" x 36.2" (600 mm x 480 mm x 920 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	
Suction tube, metal 2 x 1.6' (2 x 488 mm)	
Dust bag	2-ply paper
Filter	Washable nylon filter
Wet and dry floor tool	
Crevice tool	
Order No.	1.325-104.0

- Included in delivery.

NT 48/1



Standard class – high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



1 Container draining

- An easily accessible drain hose enables convenient and safe container emptying.

2 Accessory storage

- Accessories can be stored at the back of the container.

NT 48/1

- Optional wet filter bags for water pick up
- Drain hose
- Electronic tank level monitor

Technical data

Container capacity	12.6 gallon (48 l)
Vacuum motor	10 AMPS
Waterlift	80"
Max. power rating	1,200 W
Filtration system	Traditional cylindrical
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	141 cfm
Operating noise level	66 dBA
Weight	22 lbs (10 kg)
Dimensions (L x W x H)	19" x 15.4" x 30.3" (485 mm x 390 mm x 770 mm)

Equipment

Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■
Dust bag	Paper
Filter	Cylindrical dust filter
Wet and dry floor tool	■
Crevice tool	■
Order No.	1.428-623.0

- Included in delivery.

NT 68/1



Designed with water pick-up in mind.

The NT 68/1 offers more efficient water pick up with its front-mounted and self-adjusting squeegee assembly. It's unique 18 gallon capacity is designed to empty complete without the need for tipping.



1 Designed for productivity

- 18 gallon capacity offers easy mobility for medium to large jobs.
- Front-mounted squeegee offers more productive water pick up.

2 Easy to use

- Easy to use, train, operate.
- Unique design results in 100% dumping without tipping.
- Easy squeegee assembly lift.
- Easy to use, train, operate.

NT 68/1

- 24" Front-mounted squeegee
- On-board tool and safety sign storage
- Ergonomic and durable powder-coated handle
- Crush-proof hose
- Large transport wheels

Technical data

Container capacity	18 gallon (68 l)
Vacuum motor	10 AMPS
Waterlift	80"
Max. power rating	1380 W
Cable length	50'
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	142 cfm
Operating noise level	71 dBA
Weight	64 lbs (29 kg)
Dimensions (L x W x H)	35.5" x 24.5" x 37.5" (901 mm x 622 mm x 953 mm)

Equipment

Squeegee	■	■	□
Suction hose with bend, 8' (2.5 m)	■	□	■
Suction tube, metal 2 x 1.6' (2 x 488 mm)	■	□	■
Floor tool	■	□	■
Crevice tool	■	□	■
Drip tray	■	■	■
Elbow	■	□	■
Order No.	1.103-494.0	1.103-495.0	1.013-021.0

■ Included in delivery. □ Available accessories.

NT 14/1 Eco Adv

The craftsman's best friend



More than just another vacuum, the NT 14/1 was developed by craftsmen for craftsmen. Intelligently designed to make the job of a craftsman easier. It's flat top provides a sitting area; It detaches from its base for easy carrying; Large wheels makes it easy to transport; And, its folding handle limits bending and dragging.



1 Folding handle

- No bending down, no dragging. The practical handle turns the vacuum cleaner into a trolley for easy transportation.

2 Ample storage

- The NT 14/1 features on-board practical storage for crevice tool, floor tool and suction tube.

NT 14/1 Eco Advanced

- Folding handle
- Semi-automatic filter cleaning
- Easy to remove suction unit

Technical data

Container capacity	3.7 gallon (14 l)
Air flow rate	129 cfm
Waterlift	88.6" waterlift
Max. power rating	1380 W
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Cable length	24' (7.5 m)
Operating noise level	68 dBA
Weight	33 lbs (15 kg)
Dimensions (L x W x H)	21.5" x 18.5" 16.5" (545 mm x 465 mm x 410 mm)

Equipment


Suction hose with bend, 8' (2.5 m)	■
Suction tube, metal 3 x 1' (3 x 0.33 m)	■
Filter bag	Paper
Wet and dry floor tool	■
Crevice tool	■
Order No.	1.510-114.0

- Included in delivery.

Accessories for Wet and Dry Vacuums

Kärcher dry vacuum cleaner accessories are not only extensive and useful for daily cleaning tasks, they are ideally placed in or on the vacuum cleaner for quick and easy access and storage. The various suction nozzles, hoses and suction tubes are perfectly matched to tackle any cleaning task, providing excellent results.





1 Healthy air

Kärcher HEPA filters ensure perfectly clean and hygienic exhaust air, ideal for use in hotels, hospitals, nurseries.

2 Bagless filtration

A Kärcher permanent filter makes vacuuming without a filter bag possible.

3 Vacuum and brush at the same time

The ESB 28 and ESB 34 electric suction brushes are ideal accessories for the thorough cleaning and simultaneous brushing of carpets.

4 Better filtration is efficient filtration

Kärcher fleece filter bags are extremely efficient: twice the dust retention capacity of paper filter bags, 10% better separation efficiency and long life reduce material costs significantly.

5 Optimal accessory storage

Making transportation easier: safe and perfect storage for hose and bend.

The right accessory kit for every cleaning task.



Practical feature: Kärcher accessory kits are designed for specific applications. These accessory kits provide Kärcher vacuum cleaners with all the tools necessary for tackling the particular cleaning task – from boilers to cars.





Accessories	Description	Order No.	Nominal width (DN)	Vacuum cleaners	Accessory kit components	Order No.
Vacuum cleaner accessory kits for professional and commercial use						
	Universal kit for tradespeople and commercial use	2.637-595.0	35	NT 45/1 Tact	Suction tube, 2 x 0.5 m, metal	6.900-514.0
					Bend, metal	6.900-519.0
					All-purpose nozzle	6.900-425.0
					Crevice tool	6.900-385.0
					Upholstery tool	6.900-233.0
					Combi-nozzle	6.900-387.0
					Floor tool for wet pick up	6.903-284.0
	Heating boiler kit	2.638-852.0	35	NT 35/1 Tact	Adapter	5.407-112.0
					Wet filter bags (5 pcs.)	6.904-171.0
					Crevice tool, metal	6.900-922.0
	Bakery kit (electrically conductive)	2.640-436.0	40	NT 35/1 Tact	Suction hose, 4 m	6.906-546.0
					Suction tube, 2 x 0.5 m, metal	6.900-275.0
					Crevice tool	6.903-033.0
					Floor tool	6.906-554.0
					Car cleaning tool	6.906-108.0
					All-purpose brush	2.863-147.0
					Suction brush	6.903-862.0
					Reducer	5.407-109.0
	Building kit	2.637-352.0	40	NT 35/1 Tact	Suction hose, 4 m	4.440-263.0
				NT 45/1 Tact	Suction tube, 2 x 0.5 m, metal	6.900-275.0
				NT 65/2 Eco	Bend, metal	6.900-276.0
					Crevice tool	6.903-033.0
					Floor tool	6.903-018.0
	Professional cleaning kit	2.637-353.0	40	NT 45/1 Tact	Suction hose, 4 m	4.440-263.0
				NT 65/2 Eco	Suction tube, 2 x 0.5 m, metal	6.900-275.0
					Bend, metal	6.900-276.0
					Crevice tool	6.903-033.0
					Floor tool with rollers	6.906-383.0



Chip cleaning kit, e.g. for metal or woodworking machines



Car and commercial vehicle cleaning kit.

Accessories	Description	Order No.	Nominal width (DN)	Vacuum cleaners	Accessory kit components	Order No.
	Wet and dry vacuum kit (electrically conductive)	2.638-147.0	40	NT 35/1 Tect	Suction hose, 4 m	4.440-391.0
				NT 45/1 Tact	Bend, DN 40, metal	6.900-276.0
				NT 65/2 Eco	Suction tube, 2 x 0.5 m, metal	6.900-275.0
					Floor tool, DN 40	6.906-554.0
					Crevice nozzle, DN 40	6.903-033.0
	Car cleaning kit	2.862-166.0	35	NT 45/1 Tact	Upholstery tool, DN 35	6.900-233.0
				NT 65/2 Eco	Reducer, C 40/DN 35	5.407-109.0
					Crevice tool	6.906-240.0
					Suction brush	6.903-862.0
					Suction brush	6.903-862.0
	Industrial kit	2.637-355.0	61	NT 65/2 Eco	Suction hose, 4 m	4.440-264.0
					Bend, metal	6.906-850.0
					Suction tube, 2 x 0.5 m, metal	6.906-851.0
					Floor tool, metal	4.130-413.0
	Attachment set and Bus cleaning kit	2.640-560.0	40	NT 65/2 Eco	Suction hose, C-40, 16 m	6.906-635.0
					Multi-purpose floor tool DN 35	6.906-511.0
					Crevice tool, plastic, DN 35	6.906-240.0
					Suction tube, 2 x 0.5 m, metal, DN 35	6.900-514.0
					Bend, metal, DN 35	6.900-519.0
					Suction brush, DN 35	6.900-697.0
					Filter bags, pack of 5	6.904-285.0
					Car cleaning tool, plastic, DN 35	6.906-108.0
	Reducer, Clip C 40/ DN 35	5.407-109.0				

Accessories for wet and dry vacuum cleaners: filters



Compact, large capacity filter bags: this is a standard feature of all new Kärcher vacuum cleaners. Kärcher vacuum cleaners are designed to give years of reliable use with low maintenance costs.

		Order No.	Quantity	Description
Paper filter (2-ply)				
	1	6.904-285.0	5 pieces	BIA-C for dust class M, 3-ply, reinforced outer ply, tear-resistant.
	2	6.904-406.0	10 pieces	Paper filter bags, 2-ply, dust class M.
	3	6.904-210.0	5 pieces	BIA-C for dust class M.
	4	6.904-224.0	300 pieces	BIA-C for dust class M. Bulk consumer pack.
	5	6.904-208.0	5 pieces	BIA-C for dust class M. (Suitable for NT 35/1 Eco).
	6	6.904-312.0	10 pieces	For dust class M.
	7	6.904-318.0	200 pieces	For dust class M.
	8	8.619-885.0	10 pieces	Filter bag
	9	8.633-398.0	10 pieces	Filter bag
	10	8.600-120.0	10 pieces	Filter bag
Fabric filter bag				
	11	6.904-316.0	1 piece	Cotton, washable (40 °C).
	12	8.619-884.0	1 piece	Filter bag, Micro-tex
	13	8.600-120.0	1 piece	Replacement cloth bag
Fleece filter bags (3-ply)				
	14	6.904-407.0	5 pieces	Fleece filter bag, 3-ply, tear-resistant, dust class M, for fine dust.
	15	6.904-351.0	5 pieces	Fleece filter bag, 3-ply, tear-resistant, dust class M, for fine dust.
	16	6.904-315.0	10 pieces	Fleece filter bag, 3 ply, tear-resistant, dust class M.
	17	6.904-321.0	200 pieces	Fleece filter bag, 3-ply, tear-resistant, dust class M, Bulk consumer pack.
Special filter bag, wet filter bag				
	18	6.904-211.0	5 pieces	For dust class L, general cleaning, dry and wet, tear-resistant.
	19	6.904-252.0	5 pieces	For dust class L, general cleaning, dry and wet, tear-resistant.
	20	6.904-171.0	5 pieces	For dust class L, general cleaning, dry and wet, tear-resistant.
HEPA filter for dust class H				
	21	6.904-242.0	1 piece	HEPA surface filter, dust class H (H 14).
	22	6.904-364.0	1 piece	HEPA surface filter, dust class H (H 14).
	23	6.414-801.0	1 piece	HEPA filter cassette, paper/plastic (H 12).
	24	8.623-633.0	1 piece	HEPA filter, Replacement for 9.840-633.0
	25	9.840-633.0	1 piece	HEPA filter kit, CV 71/2 WAVK

■ Included in delivery. □ Available accessories.

Accessories for wet and dry vacuum cleaners: cartridge filters




Robust metal coarse dirt filters for wet pick-up ensure that large particles of dirt are reliably retained.

		Order No.	Quantity	Description
Cartridge filter, paper				
	1	6.414-789.0	1 piece	Paper, enlarged filter area.
Flat pleated filter (paper)				
	2	6.904-156.0	1 piece	For dust class M.
	3	6.904-367.0	1 piece	Paper, for dust class M.
	4	6.904-283.0	1 piece	Paper, for dust class M.
Flat pleated filter (PES)				
	5	6.906-123.0	1 piece	Polyester fleece, rot-proof, dust class M.
	6	6.904-360.0	1 piece	Polyester fleece, rot-proof, dust class M.
	7	6.904-284.0	1 piece	Polyester fleece, rot-proof, dust class M.
Coarse filter for wet pick up				
	8	6.904-287.0	1 piece	Metal, perforated, not suitable for dry use.
Membrane filter / fabric filter				
	9	6.904-282.0	1 piece	Polyester needle felt, BIA-C tested, washable (40 °C).
	10	6.904-212.0	1 piece	Polyester needle felt, washable (40 °C).
Main filter baskets				
	11	5.731-619.0	1 piece	Nylon, washable up to 40 °C. (up to serial number 111520).
	12	5.731-640.0	1 piece	Nylon, washable up to 40 °C (for T 12/1 from serial number 111521).
Exhaust air filter				
	13	6.414-802.0	3 pieces	Standard exhaust filter.
	14	6.414-611.0	5 pieces	Motor filter, interchangeable fleece.
	15	8.602-579.0	1 piece	High-efficiency filter kit (includes 10 bags and 2 motor filters)
	16	8.619-889.0	1 piece	Filter, air & sound diffusing
	17	8.632-214.0	1 piece	Filter, exhaust
Motor protection filters				
	18	8.619-887.0	1 piece	Filter, dome
	19	8.628-477.0	1 piece	Filter, motor protection
Plastic sacks for dust-free disposal				
	22	6.596-886.0	10 pieces	PE plastic sack.

■ Included in delivery. □ Available accessories.

	BV 11/1	CV 300	CV 380	CV 71/2	NT 48/1	NT 14/1 Eco Adv	NT 35/1 Tact	NT 45/1 Tact	NT 68/1	NT 65/2 Eco	T 12/1
1					■						
2						■					
3							■	■			
4										■	
5						□					
6							□	□			
7										□	
8							■	■			
9											□
10							□	□			
11											■
13											■
14											■
15											■
16	□										
17	■										
18		■	■								
19	■										
20		■	■								
22						□	□				



Accessories for wet and dry vacuum cleaners: suction nozzles



Using an electric brush can increase the cleaning efficiency.
It raises the pile, leaving carpets looking like new.

		Order No.	Quantity	Nominal width	Length	Width	Description
Car cleaning tools							
	1	6.900-952.0	1 piece	1.6"		3.5"	Plastic.
	2	6.906-108.0	1 piece	1.4"		3.5"	Plastic.
Turbo nozzle							
	3	2.860-113.0	1 piece	1.3"		6.3"	Upholstery tool, plastic with reducer DN 35/32.
	4	2.860-114.0	1 piece	1.3"		10.6"	Floor tool, plastic with reducer 35/32, 270 mm.
Combi-nozzles (dry)							
	5	6.906-511.0	1 piece	1.4"		10.6"	Plastic with stainless steel sliding base plate, changeover function, with DN 35 connection.
	6	6.906-812.0	1 piece	1.3"		10"	Plastic with plastic sliding base plate and 2 rollers.
	7	6.906-107.0	1 piece	1.3"		14.2"	Suitable for parquet floors, plastic with brush strips (set number 6.905-878.0) and 2 rollers.
	8	6.906-696.0	1 piece	1.3"		11.2"	Plastic with stainless steel sliding base plate and rollers, changeover function.
	9	8.603-302.0	1 piece				Tool, quick sweep
	10	8.603-312.0	1 piece				Tool, spot lite
	11	8.628-444.0	1 piece				Wide area nozzle with bristles (hard surface)
	12	8.628-445.0	1 piece				Wide area nozzle, carpet
	13	6.906-873.0	1 piece	1.3"		10.6"	Plastic, with stainless steel soleplate and rollers, switchable
Radiator brushes							
	14	6.903-034.0	1 piece	1.4"			Plastic, for crevice tool 6.900-385.0.
	15	6.903-404.0	1 piece	1.3"			Plastic, for crevice tool 6.903-403.0.
Crevice tools							
	16	6.900-385.0	1 piece	1.4"	8.3"		Plastic.
	17	6.900-922.0	1 piece	1.4"	14.6"		Metal.
	18	6.903-033.0	1 piece	1.6"	11.4"		Plastic.
	19	6.905-817.0	1 piece	1.6"	15.8"		Metal.
	20	6.906-240.0	1 piece	1.4"	9.8"		Plastic.
	21	6.903-403.0	1 piece	1.3"	8.3"		Plastic, for commercial dry vacuum cleaners.
	22	8.600-016.0	1 piece				Crevice tool
	23	8.632-245.0	1 piece				Crevice tool (requires 8.632-244,0 attachment)
	24	8.619-876.0	1 piece			16"	Crevice tool
	25	8.628-451.0	1 piece			28"	Crevice tool

■ Included in delivery. □ Available accessories.


		Order No.	Quantity	Nominal width	Length	Width	Description
Nozzles for vacuuming surfaces/cleaning machines							
	26	6.903-360.0	1 piece	2.4"		4.9"	Scraper tool, steel.
Pipe suction nozzles							
	27	6.903-035.0	1 piece	1.4"			Plastic, tube diameter 4"
	28	6.903-036.0	1 piece	1.4"			Plastic, tube diameter 8"
Suction brush							
	29	6.903-862.0	1 piece	1.4"		11"	Natural bristles (cow hair), rotatable.
	30	6.903-887.0	1 piece	1.3"		2.8"	Plastic brush, rotatable.
Rubber suction nozzles, 45° angle							
	31	6.902-104.0	1 piece	1.4"	8.7"		For vacuuming machines, oil-resistant.
Nozzle sets							
	32	2.860-116.0	1 piece	1.4"			Crevice tool, upholstery tool, round brush.
	33	2.860-143.0	4 pieces	1.3"			Crevice tool, upholstery tool, round brush, clip holder.
All-purpose brushes							
	34	2.863-147.0	1 piece	1.4"			Natural bristles (cow hair), bristles 4.7" x 1.8"
	35	6.900-425.0	1 piece	1.4"			Plastic, hard bristles, 4.7" x 1.8"

Included in delivery.
 Available accessories.

	Order No.	Quantity	Nominal width	Length	Width		Description
Suction tubes, stainless steel							
	36	6.902-046.0	1 piece	1.4"	0.5 m		Stainless steel.
	37	6.902-081.0	1 piece	1.6"	0.5 m		Stainless steel.
Suction tubes, metal							
	38	6.900-514.0	1 piece	1.4"	0.5 m		Metal.
	39	6.900-275.0	1 piece	1.6"	0.5 m		Metal.
	40	6.902-152.0	1 piece	1.4"	0.33 m		Metal suction tube, chromium-plated, 0.33 m, DN 35.
	41	6.906-618.0	1 piece	1.3"	0.5 m		Metal, black coated.
	42	6.903-850.0	1 piece	1.3"	0.5 m		Metal, chromium-plated.
	43	6.906-618.0	1 piece	1.3"			Metal
	44	8.600-009.0	1 piece				Wand, extension
	45	8.609-022.0	1 piece				Wand, spotting
	46	8.628-454.0	1 piece				Wand, air turbine tool
		8.634-975.0	1 piece		20"		Extention tube
	47	8.628-461.0	1 piece				Wand, aluminum straight
Bends, plastic							
	48	5.031-718.0	1 piece	1.4"			Plastic with C-35 clip system.
	49	5.031-939.0	1 piece	1.4"			Plastic DN 35 with C-35 clip system, electrically conductive.
	50	5.031-904.0	1 piece	1.6"			Plastic with C-40 clip system.
	51	5.033-583.0	1 piece	1.4"			Plastic with C-35 clip system, antistatic.
	52	4.408-051.0	1 piece	1.4"			Plastic with C-32 clip system.
	53	4.408-052.0	1 piece	1.2"			Plastic, electrically conductive, C-32 clip system, reduces electrostatic build-up.
	54	4.440-865.0	1 piece	1.3"			Comfort bend made of plastic with C-32 clip system, silent variable air flow control, German patent granted: DE 102005010983 (without ESB connection).
	55	6.902-021.0	1 piece	2.4"			Plastic
Bend, metal							
	56	8.628-460.0	1 piece				Wand, double curve

■ Included in delivery. □ Available accessories.

	BV 11/1	CV 300	CV 380	CV 71/2	NT 48/1	NT 14/1 Eco Adv	NT 35/1 Tact	NT 45/1 Tact	NT 68/1	NT 65/2 Eco	T 12/1
36					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
37					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
38					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
39					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
40					<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
41											<input checked="" type="checkbox"/>
42											<input type="checkbox"/>
43											<input checked="" type="checkbox"/>
44	<input checked="" type="checkbox"/>										
45	<input type="checkbox"/>										
46	<input type="checkbox"/>										
47	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
48					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
49					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
50					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
51					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
52											<input checked="" type="checkbox"/>
53											<input type="checkbox"/>
54											<input type="checkbox"/>
55						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		
56	<input type="checkbox"/>										



Accessories for wet and dry vacuum cleaners: adapters

The Y-adapter can be used for connecting two suction hoses to one machine. This enables two areas to be cleaned at the same time.



		Order No.	Quantity	Nominal width	Length	Width	Description
Adapters (tube -> nozzle)							
	1	6.902-017.0	1 piece	1.6"			From DN 40 to 35, plastic.
	2	6.902-072.0	1 piece	1.4"			From DN 35 to 32, metal.
Adapters (tube -> nozzle)							
	3	5.453-019.0	1 piece	1.6"			From DN 40 to 61, plastic.
Connecting ring							
	4	8.619-903.0	1 piece				Nut, bottom wand (for use with 8.628-666.0)
	5	8.619-906.0	1 piece				Ring, bottom wand (for use with 8.628-666.0)
Adapter C-DN (clip to cone), EL (electrically conductive)							
	6	5.407-112.0	1 piece	1.4"			C 35 hose connection for accessories DN 35, electrically conductive.
	7	5.407-109.0	1 piece	1.6"			C 40 hose connection for accessories DN 35, electrically conductive.
	8	5.407-111.0	1 piece	1.6"			C 40 hose connection for accessories DN 40, electrically conductive.
Adapter for power tools, clip-on							
	9	5.453-042.0	1 piece	1.4"			Plastic, adjustable from DN 26-36 (Te/Eco M/H), el.
Y-adapter kit							
	10	2.637-217.0	1 piece				Distributor, plastic.

■ Included in delivery. □ Available accessories.

Accessories for wet and dry vacuum cleaners: suction hoses

	Order No.	Quantity	Nominal width	Length	Description
Suction hoses (without connectors)					
	1 6.389-838.0	1 piece	1.3"	33'	Standard.
Suction hoses, complete					
	2 4.440-287.0	1 piece	1.4"	13'	Standard.
	3 4.440-264.0	1 piece	2.4"	13'	Standard.
	4 4.440-615.0	1 piece	2.4"	33'	Industrial hose, PVC/elastomer with steel spiral, smooth inside.
	5 4.440-263.0	1 piece	1.6"	13'	Standard, plastic.
	6 4.440-463.0	1 piece	1.6"	33'	Standard, plastic.
Suction hoses, complete (clip system)					
	7 4.440-626.0	1 piece	1.4"	8'	With bend.
	8 4.440-653.0	1 piece	1.4"	8'	With bend, electrically conductive.
	9 4.440-774.0	1 piece	1.3"	8'	Dry vacuum cleaner and clip connection including plastic bend
	10 4.440-679.0	1 piece	1.6"	13'	With bend and module (4.060-474.0).
	11 4.440-907.0	1 piece	1.3"	8'	With dry vacuum cleaner, clip connection and bend C-DN 32.
Suction hoses (clip system)					
	12 6.906-241.0	1 piece	1.4"	8'	With bayonet and clip connection.
	13 6.906-321.0	1 piece	1.6"	13'	With bayonet and clip connection.
	14 6.906-279.0	1 piece	1.6"	33'	With bayonet and clip connection.
	15 6.906-546.0	1 piece	1.6"	13'	With bayonet and clip connection, electrically conductive.
	16 6.906-635.0	1 piece	1.6"	52'	With bayonet and clip connection.
	17 6.906-896.0	1 piece	1.4"	8'	C-35, antistatic with clamping ring.
	18 6.906-242.0	1 piece	1.4"	33'	With bayonet and clip connection.
	19 4.440-911.0	1 piece	1.3"	8'	With dry vacuum cleaner and clip C-32 connection.
Extension hoses (clip system)					
	20 6.906-237.0	1 piece	1.3"	8'	For all C-32 and C-35 hoses.
Repair kits					
	21 2.639-682.0	1 piece	1.4"		Suction hose repair kit (clip system).
	22 2.639-873.0	1 piece	1.6"		Suction hose repair kit (clip system).
	23 2.639-739.0	1 piece	1.3"		Suction hose repair kit (clip system) (not ESB).

■ Included in delivery. □ Available accessories.

	BV 11/1	CV 300	CV 380	CV 71/2	NT 48/1	NT 14/1 Eco Adv	NT 35/1 Tact	NT 45/1 Tact	NT 68/1	NT 65/2 Eco	T 12/1
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											
15											
16											
17											
18											
19											
20											
21											
22											
23											



Accessories for backpack vacuum cleaners: kits



The versatile BV 11/1 has a variety of accessory kits to customize your backpack vacuum to suit your cleaning needs.

	Order No.	Kit Component Parts	Order No.	
Turbolator Air Turbine Tool Kit	9.840-611.0	Turbolator Air Turbine Tool Kit for BV 11/1.	8.628-332.0	
		Wand for Air Turbine Kit	8.628-463.0	
Overhead Cleaning Kit	8.604-143.0	Aluminum Wand, Straight	8.628-461.0	
		Multi-Purpose Tool, 11"	8.604-140.0	
		Dusting Brush	8.600-007.0	
		Upholstery Tool, 5"	8.600-008.0	
		Upholstery Tool Brush	8.628-360.0	
Floor Cleaning Kit	8.604-142.0	Wide Area Carpet Nozzle	8.628-445.0	
		Bristle Tool	8.628-444.0	
		Wand, 2-piece, Double Curve, Steel	8.628-460.0	
Standard Tool Kit	8.604-141.0	Upholstery Tool Brush	8.628-360.0	
		Crevice Nozzle	8.628-451.0	
		Dusting Brush	8.600-007.0	
		Upholstery Tool	8.600-008.0	
		Wand, 20" Extension	8.600-009.0	
SpotLite Kit	8.604-144.0	SpotLite Nozzle	8.606-312.0	
		SpotLite Wand	8.609-022.0	
Quick Sweep Tool Kit	8.604-145.0	Quick Sweep Tool	8.603-302.0	
		SpotLite Wand	8.609-022.0	

■ Included in delivery. □ Available accessories.

		BV 11/1
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="checkbox"/>	<input type="checkbox"/>