

## Sweeper and vacuum sweepers.

Kärcher sweepers and vacuum sweepers are ideal for cleaning different types of surfaces both indoors and outdoors and have a range of impressive product accessories. Sweepers with or without vacuum are available for a wide range of cleaning tasks. Clever ergonomics, ease of use thanks to EASY Operation and simple handling make our machines ideal for almost any cleaning task.





**1 EASY Operation - Ergonomic Application SYstem**

■ With EASY Operation, Kärcher offers a standard operating system with self explanatory symbols to prevent incorrect operation. This increases safety and productivity and extends the life of the machine. Symbols and settings are identical on all sweepers and scrubber dryers. Once learnt, every machine can be operated intuitively with EASY Operation. EASY Operation is standard on a large number of Kärcher machines

**2 Dustpan principle**


■ The roller brush sweeps the dirt forwards into a container. The advantages: less effort, easy handling and minimal dust creation.

**3 Overthrow system**

■ The roller brush rotates at high speed and throws the dirt up and back into a trailing container. The entire capacity of the container is used, making long periods of uninterrupted operation possible. Cans and stones are easily picked up through the wide coarse dirt flap.

## Sweepers and vacuum sweepers. Economical in use.

The use of the following Kärcher sweepers and vacuum sweepers is cost-effective when the area to be swept per hour is as indicated on their performance columns.



## EB 30/1



### For Fast & Efficient sweeping

Whisper-quiet electric broom for discrete and quick interim cleaning. Features Ni-Cad battery technology allows for long operating times - 30 minutes on carpets and up to 45 minutes on hard surfaces. Designed for commercial-duty, the EB 30/1 is durable and ergonomic. Includes one battery and charger.



#### 1 Convenient interim cleaning

- Equipped with a powerful quick-change battery, the EB 30/1 can be used anywhere since it requires not power outlet.
- Whisper quiet.
- Ergonomically designed for commercial use.
- 30 minute run times.

#### 2 Easily empty debris

- The EB 30/1 has a large capacity dustpan for coarse and fine debris and is easily removed for emptying.
- Designed with a universal joint to allow the handle to be locked or unlocked.

#### 3 Brush replacement without tools

- The roller brush can be removed without tools for easier cleaning.

# Technical data and equipment

## EB 30/1

- Ni-Cad battery technology
- 12" sweeping path
- 67 in3 (1 l) capacity
- Whisper quiet
- Cordless design reduces trips & falls

### Technical data

<b>Working width</b>	12" (300 mm)
<b>Container capacity</b>	.26 gallon (1 l)
<b>Noise level</b>	56 dBA
<b>Operating time (carpet/hard surface)</b>	30 min / 45 min
<b>Battery charging time</b>	12 hrs
<b>Weight</b>	5 lbs (2.3 kg)
<b>Dimensions (L x W x H)</b>	9.8" x 11.8" x 43.3" (250 mm x 300 mm x 1100 mm)

### Equipment

<b>Battery</b>	■	n
<b>Plug-in power supply battery charger</b>	■	n
<b>Roller broom, standard</b>	■	n
<b>Order No.</b>	<b>1.545-121.0</b>	

■ Included in delivery.

### Standard Accessories

Product name	Order No.	Description
Ni-Cad battery	4.654-259.0	Ni-Cad battery
Battery charger	6.646-670.0	Battery charger
Replacement Roller Brush	4.762-400.0	Replacement Roller Brush, Packaged

### Optional Accessories

Roller Brush	4.762-401.0	Roller Brush, Red, For Hard Surfaces
Rechargeable battery charger	6.654-197.0	Rechargeable battery charger - For charging Kärcher rechargeable battery packs NiCad, NiMH and Li-Ion type

## KM 70/20 C



KM 70/20 C 2 B shown.

### Lightweight and simple – for quick clean-ups.

The KM 70/20 is ideal for sweeping small areas indoors and outdoors. It cleans better and faster than a broom and is almost dust-free thanks to the controlled air flow and integrated dust filter.



#### 1 Main roller brush drive

- The main roller broom is driven by both wheels – for excellent results when cleaning in corners.

#### 2 Adjustable push handle

- Excellent ergonomics due to triple adjustment option.
- Foldable for space-saving parking

#### 3 Large dirt container

- Ergonomic container grip for easy handling and emptying.

#### 4 Dust filter

- Dust filter cleans the exhaust air and prevents dust creation while sweeping.

# Technical data and equipment

## KM 70/20 C

- 28" cleaning path
- Roller broom driven via both wheels
- Direct-throw sweeping
- Limited slip differential drive system
- Adjustable side broom and roller broom
- 38" cleaning path

## KM 70/20 C 2SB

- Roller broom driven via both wheels
- Direct-throw sweeping
- Limited slip differential drive system
- Adjustable side broom and roller broom
- Adjustable side broom and roller broom

### Technical data

<b>Working width</b>	18.8" (480 mm)	18.8" (480 mm)
<b>Working width with 1 side broom</b>	28" (700 mm)	–
<b>Working width with 2 side brooms</b>	–	38" (960 mm)
<b>Drive</b>	manual	manual
<b>Max. area performance</b>	30,000 ft <sup>2</sup> / hr	39,600 ft <sup>2</sup> / hr
<b>Sweeping method</b>	Direct throw	Direct throw
<b>Waste container</b>	11 gallon / 1.5 cubic ft / (42 l)	11 gallon / 1.5 cubic ft / (42 l)
<b>Weight</b>	51 lbs (23 kg)	57 lbs (26 kg)
<b>Dimensions (L x W x H)</b>	51.2" x 30.14" x 40.7" (1300 mm x 850 mm x 1050 mm)	51.2" x 37.8" x 40.7" (1300 mm x 960 mm x 1050 mm)

### Equipment

<b>Fine dust filter</b>	■	n	■	n
<b>Manual sweeping drive</b>	■	n	■	n
<b>Adjustable main roller broom</b>	■	n	■	n
<b>Foldable side brush</b>	■	n	■	n
<b>Adjustable side broom</b>	■	n	■	n
<b>Continuously adjustable side brush</b>	■	n	■	n
<b>Fold-down push handle</b>	■	n	■	n
<b>Outdoor use</b>	■	n	■	n
<b>Indoor use</b>	■	n	■	n
<b>Order No.</b>	<b>1.517-106.0</b>		<b>1.517-107.0</b>	

- Included in delivery.

### Standard Accessories

Product name	Order No.	Description
Standard side broom	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces. Broom only.
Standard roller broom	6.906-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
Dust Filter	4.040-772.0	Dust Filter

### Optional Accessories

Litter picker	2.640-908.0	Litter picker - for picking up waste
Dust filter	4.040-772.0	Dust filter
Standard roller broom	6.907-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces. Complete kit.
Standard side broom	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.

## KM 70/30 C Bp Adv



### Compact, convenient and universal.

The extremely compact and efficient KM 70/30 C sweeps silently. Main roller broom and side broom with electric drive – cleans right into the corners, suitable for indoor and outdoor use.



#### 1 Adjustable push handle

- Excellent ergonomics due to triple adjustment option.
- Foldable for space-saving parking.

#### 2 EASY Operation concept

- Easy to use program selector switch.

#### 3 Easy to transport

- Front and rear handles for easy transport (e.g. via stairs).

#### 4 Fine dust suction

- Electric suction fan for removing fine dust from the waste container.
- Can be switched off for sweeping in wet weather.

# Technical data and equipment

## KM 70/30 C Bp Adv

- 28" Cleaning path
- Vacuum dust control
- Electrically powered main roller broom and side broom
- Continuously adjustable roller broom and side broom

### Technical data

<b>Working width</b>	18.8" (480 mm)
<b>Working width with 1 side broom</b>	28" (700 mm)
<b>Drive</b>	Battery
<b>Power</b>	12 V / 150 W
<b>Max. area performance</b>	30,100 ft <sup>2</sup> / hr
<b>Waste container</b>	11 gallon / 1.5 cubic ft / (42 l)
<b>Filter area</b>	945 in <sup>2</sup> (0.61 m <sup>2</sup> )
<b>Charging time rechargeable battery</b>	12 hr
<b>Operating time</b>	3.5 hr
<b>Weight</b>	105 lbs (48 kg) without batteries
<b>Dimensions (L x W x H)</b>	48.8" x 28" x 45.2" (1240 mm x 710 mm x 1150 mm)

### Equipment

<b>Electric sweeping drive</b>	■	n
<b>Adjustable main roller broom</b>	■	n
<b>Manual filter cleaning system</b>	■	n
<b>Fold-down push handle</b>	■	n
<b>Battery and charger included</b>	■	n
<b>Vacuum</b>	■	n
<b>Order No.</b>	<b>1.517-218.0</b>	

■ Included in delivery.

### Standard Accessories

Product name	Order No.	Description
Standard side broom	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces. Broom only.
Standard roller broom	6.906-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
Flat Filter	6.904-367.0	Flat Filter, Kärcher OEM

### Optional Accessories

Litter picker	2.640-908.0	Litter picker - for picking up waste
Filter element	5.731.625.0	Filter element - plastic filter, water resistant, washable, saves maintenance costs
Flat Filter	6.904-367.0	Flat Filter, Kärcher OEM
Standard roller broom	6.906-041.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
Standard side broom	6.966-005.0	Standard side broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.



## KM 75/40 W Bp



### Clean entry into the walk-behind class.

Compact and agile, the KM 75/40 W cleans small to medium-sized areas with excellent results. With convenient traction drive and powerful vacuum system, available with silent battery-powered motor.



#### 1 Waste container with trolley grip

- Waste container with recessed grips - easy to remove and empty.
- Short disposal times.

#### 2 Efficient filter system with mechanical filter cleaning

- 19.3 ft<sup>2</sup> filter area for continuous working.
- Made of tough polyester for durability.
- Mechanical filter cleaning system with ergonomic handle.

#### 3 Easy to maintain

- Filter and roller broom easy to remove without tools for flexible maintenance.

#### 4 EASY Operation concept

- Clear and logical arrangement of all controls on the handle and field of view for ease of use.
- Standard symbols for all Kärcher sweepers.

# Technical data and equipment

## KM 75/40 W Bp

- Waste container with trolley grip
- Roller broom changeover without tools
- Efficient filter cleaning system with clean filter replacement without tools

### Technical data

<b>Working width with 1 side broom</b>	30" (750 mm)
<b>Drive</b>	DC motor; .5 hp / 400 W
<b>Max. area performance</b>	36,328 ft <sup>2</sup> / hr
<b>Waste container</b>	10.5 gallon / 1.4 cubic ft / (40 l)
<b>Power source</b>	2 x 12 V 70 ah AGM batteries
<b>Sweeping method</b>	Overthrow
<b>Climbing ability</b>	12 %
<b>Working speed</b>	2.8 mph (4.5 km / h)
<b>Filter area</b>	2,790 in <sup>2</sup> (1.8 m <sup>2</sup> ) - flat, pleated with manual shaker
<b>Weight</b>	172 lbs (78 kg) without batteries
<b>Dimensions (L x W x H)</b>	56" x 30" x 46.5" (1430 mm x 780 mm x 1180 mm)

### Equipment

<b>Polyester flat pleated filter</b>	■	n
<b>Manual filter cleaning system</b>	■	n
<b>Forward drive</b>	■	n
<b>Adjustable main roller broom</b>	■	n
<b>Mobile waste container</b>	■	n
<b>Coarse dirt flap</b>	■	n
<b>Battery and charger included</b>	■	n
<b>Order No.</b>	<b>9.840-739.0</b>	

- Included in delivery.

### Standard Accessories

Product name	Order No.	Description
Battery	8.631-173.0	Battery, 12V AGM 70 Ah
Charger	8.629-377.0	Charger, 24V 25A AGM C50
Side Broom	6.905-626.0	Side Broom, KM Soft Bristle
Main Broom	6.906-884.0	Main Broom, KM 75/40W Bp
Filter	5.731-635.0	Filter, KM 75/40W Bp

### Optional Accessories

Side Broom	6.905-625.0	Side Broom, KM, Hard for Difficult/Heavy-duty cleaning
Side Broom	6.906-885.0	Side Broom, Radius 300
Rolling Brush	6.906-950.0	Anti-Static Rolling Brush
Carpet Sweeping Kit	2.641-571.0	Carpet Sweeping Kit (includes fluff filter, anti-static roller brush and triple caster)
Flat pleated filter	6.906-884.0	Flat pleated filter - plastic filter, water resistant, washable, reduces maintenance costs
Standard roller broom	6.906-886.0	Standard roller broom - water-resistant universal bristles, extremely durable, suitable for all types of surfaces.
Main roller broom	6.906-885.0	Main roller broom, soft/natural - specifically designed with natural bristles for sweeping fine dust on smooth indoor floors.

## KM 90/60 R Bp Adv



### The smart way to sweep.

Comfortable alternative to walk-behind sweepers. The KM 90/60 R ride-on sweeper offers best-in-class comfort with its adjustable seat, easy steering and large wheels for high performance as well as providing excellent cleaning results. The KM 90/60 now offers fully automatic TACT filter cleaning system.



#### 1 Robust, compact design with pick-up area

- Built to last, highly reliable.
- Safety and manoeuvrability.

#### 2 EASY Operation concept

- Logical and clear.
- All controls are clearly arranged and easy to access.

#### 3 Tact: the fully automatic, continuous filter cleaning

- Highly effective filter cleaning for continuous dust-free sweeping.
- Compact filter size with long service life.
- Easy access to the filter.

#### 4 Compact design with additional storage space

- Using the Homebase accessories, additional cleaning tools can be attached and carried on-board.

# Technical data and equipment

	KM 90/60 R Bp Adv	KM 90/60 R Bp Adv 2SB
	<ul style="list-style-type: none"> <li>■ TACT: Automatic filter cleaning system</li> <li>■ Integrated Homebase kit</li> <li>■ Ergonomic operating concept</li> <li>■ Floating main roller brush</li> </ul>	<ul style="list-style-type: none"> <li>■ 2 side brushes</li> <li>■ TACT: Automatic filter cleaning system</li> <li>■ Integrated Homebase kit</li> <li>■ Ergonomic operating concept</li> <li>■ Floating main roller brush</li> </ul>
<b>Technical data</b>		
<b>Working width</b>	36" (900 mm)	45" (1150 mm)
<b>Drive</b>	DC motor	DC motor
<b>Sweeping method</b>	Overthrow	Overthrow
<b>Max. area performance</b>	58,125 ft <sup>2</sup> / hr (5,400 m <sup>2</sup> / hr)	74,270 ft <sup>2</sup> / hr (6,900 m <sup>2</sup> / hr)
<b>Waste container</b>	15.85 gallons (60 l)	15.85 gallons (60 l)
<b>Climbing ability</b>	12%	12%
<b>Working speed</b>	3.72 mph ( 6 km / hr)	3.72 mph ( 6 km / hr)
<b>Weight</b>	782 lbs.	805 lbs.
<b>Dimensions (L x W x H)</b>	64.3" x 38.6" x 49.6" (1635 mm x 980 mm x 1260 mm)	64.3" x 38.6" x 49.6" (1635 mm x 980 mm x 1260 mm)
<b>Equipment</b>		
<b>Polyester filter</b>	■ n	■ n
<b>TACT filter cleaning system</b>	■ n	■ n
<b>Floating main roller broom</b>	■ n	■ n
<b>Adjustable suction power</b>	■ n	■ n
<b>Coarse dirt flap</b>	■ n	■ n
<b>Battery and charger</b>	■ n	■ n
<b>Order No.</b>	<b>9.841-246.0</b>	<b>9.841-247.0</b>
<b>215 Ah batteries 234 Ah AGM batteries</b>	<b>9.841-248.0</b>	<b>9.841-249.0</b>

■ Included in delivery.

## Standard Accessories

Product name	Order No.	Description
Battery	4.762-430.0	Main broom
Charger	6.906-132.0	Side broom
Side Broom	6.907-352.0	Flat Filter

## Optional Accessories

Adapter Homebase	5.035-488.0	Adapter Homebase - to mount different hooks and clips to the machine
Double hook	6.980-077.0	Double hook -suitable for storing trash bags on the machine (order also Homebase adapter)
Holder grey/mop clip	6.980-078.0	Holder grey/mop clip - used to fix a mop or broom to the machine (order also Homebase adapter)
Holder	6.980-080.0	Holder bottle clip
Rolling Brush	6.907-023.0	Anti-Static Rolling Brush
Main Roller Brush	4.762-443.0	Main Roller Brush, Hard
Main roller broom	4.762-442.0	Main Roller Brush, Soft/Natural
Side Brush	6.905-625.0	Side Brush, Hard
Side Brush Kit	2.642-693.0	Side Brush Kit, Left
Carpet Sweeping Kit	2.641-665.0	Carpet Sweeping Kit (Includes Anti-Static Rolling Brush)
Round filter	6.414-532.0	Round filter - plastic filter, water-resistant, washable, saves maintenance costs. (fits previous KM 90/60 R Bp without TACT)
Main roller brush	6.906-533.0	Main roller brush, soft/natural - with natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors.
Hard main roller brush	6.906-532.0	Hard main roller brush - for removal of stubborn dirt outdoors.
Battery	8.628-341.0	Battery, 12V, 215 Ah, low-maintenance
Battery	8.622-843.0	Battery, 12V, 234 Ah, AGM
Battery	8.628-404.0	Battery charger, 24V, 21A, 115V, C50, Wet/Gel. For use with 8.628-341.0
Battery	8.629-377.0	Battery charger, 24V, 25A, 115V, SB50. For use with 8.622-843.0.