

PUZZI 8/1 C



Handy and compact.

The handy, compact and powerful Puzzi 8/1 C spray extraction cleaner is ideal for small areas and interim cleaning with excellent cleaning results.

Puzzi 8/1 C

Technical data

Max. area performance	ft² / h	129 - 194 ft ² / hr
Air flow rating	cfm	115 cfm (58 l / sec)
Spray rate	gallons	.26 gallon / min (1 l / min)
Spray pressure/back pressure	psi	14.5 psi (1 bar)
Tank (fresh/dirty)	gallons	2 gallon / 1.8 gallon (8 l / 7 l)
Power rating (fan/pump)	W	1,100 W / 40 W
Vacuum motor	hp	1.5 hp (1,100 W)
Water lift rating	inches	87" (216 mbar)
Moisture recovery rate		Up to 96%*
Noise	dBA	71 dBA
Weight	lbs	19.8 lbs (9 kg)
Dimensions (L x W x H)	inches	20.8" x 13" x 17.3" (530 mm x 330 mm x 440 mm)

*Varies depending on carpet fiber type or material being cleaned.

Equipment

Product	Order No.	Description
Puzzi 8/1 C	1.100-223.0	with 98.5" spray hose with integrated water feed and hand tool

Accessories

Order No.	Description
■ 6.391-410.0	8' Hose, Complete with couplings
■ 4.130-116.0	4.33" Upholstery Hand Tool
□ 4.130-127.0	Floor Wand, 2-Part with Aluminum Tube
□ 4.130-394.0	Floor Wand, Quick-Action Coupling, Aluminum Tube and Metal Nozzle
□ 4.762-220.0	Hard Surface Kit (attaches to 4.130-127.0 & 4.130-394.0 wands)
□ 2.638-778.0	Window Cleaning Kit with 6.5ft (2M) Hose, (requires 2.389-293.0 Coupler)
□ 4.130-083.0	Venetian Blind Kit (requires 6.389-293.0 Coupler)
□ 4.130-128.0	Stair Cleaning Tool, 9"
□ 6.391-411.0	13' High Pressure Solution & vacuum hose
□ 6.391-410.0	8' Hose, Complete with couplings
□ 4.130-117.0	Stone & Hard Surface Nozzle
□ 4.762-219.0	Hard Surface Adapter for Standard Hand Tool
□ 6.290-500.0	RM 760 Tablets, 200 Count
□ 6.290-828.0	RM 760 Tablets, 16 Count

■ Included □ Optional

PUZZI 10/1



For well-maintained carpets.

The Puzzi 10/1 is ideal for cleaning smaller to medium-sized carpets, upholstery and textile flooring. The modular accessories are kept directly on the machine. The carrying handle offers a clip for the wand and makes transportation easy.

Puzzi 10/1

Technical data

Max. area performance	ft² / h	215 - 269 ft ² / h (20-25 m ² /h)
Air flow rating	cfm	114 cfm (54 l / sec)
Vacuum	inches	88 in (220/22 mbar / kPa)
Spray rate	gallons	.26 gallon / min (1 l / min)
Spray pressure/back pressure	psi	14.5 psi (1 bar)
Tank (fresh/dirty)	gallons	2.6 gallon / 2.3 gallon (10 l / 9 l)
Turbine Power rating	w	1,250 W / 1.7 HP
Power rating pump	hp	0.05 HP (40 W)
Voltage	v	120 V
Weight	lbs	23.5 lbs (10.7 kg)
Dimensions (L x W x H)	inches	27.76" x 12.6" x 17.1" (705 mm x 320 mm x 435 mm)

Equipment

Product	Order No.	Description
Puzzi 8/1 C	1.100-123.0	Carpet extractor with 98.5" spray hose with integrated water feed and hand tool

PUZZI 10/2 ADV



Double the power.

(available in 220V 50hz only)

The spray rate and pressure of the Puzzi 10/2 Adv is double that of the Puzzi 100, giving you increased cleaning performance. Puzzi 10/2 Adv is also fitted with a defoaming tank, which when used with Kärcher anti-foaming chemical, stops the build up of foam in the dirty water tank. This is particularly helpful for cleaning areas that have previously been treated with chemical.

Puzzi 10/2 Adv

Technical data

Max. area performance	ft ² / h	323-484
Air flow rating	cfm	114 cfm (54 l / sec)
Spray rate	gpm	.52 (2 l / min)
Spray pressure/back pressure	psi	29 psi (2 bar)
Tank (fresh/dirty)	gallons	2.6 gallon / 2.3 gallon (10 L / 9 L)
Power rating (fan/pump)	W	1,250 W / 80 W
Vacuum motor	hp	1.5 hp (1,100 W)
Water lift rating	inches	88" (220 mbar)
Weight	lbs	25.4 lbs (11.5 kg)
Dimensions (L x W x H)	inches	27.8" x 12.6" x 17.1" (705 mm x 320 mm x 435 mm)

Equipment

Product	Order No.	Description
Puzzi 10/2 Adv	1.193-120.0	Carpet extractor with 98.5" spray hose with integrated water feed and hand tool

BRC 30/15 C



The perfect solution for larger areas.

Our carpet cleaning machines are ideal for efficient, fiber-deep cleaning of large areas; roller brushes support the cleaning action of the water and cleaning agent.

BRC 30/15 C

Technical data

Vacuum motor	hp	1.5 hp, 3-stage
Air flow rate	inches	120" (3050 mm)
Water lift rate	inches	100" water lift
Solution pump	psi	58 psi (3.5 bar)
Solution spray		1 quick-connect jet
Brush working width	inches	10" (254 mm)
Working width, suction	inches	12.5" (315 mm)
Tank (fresh/dirty)	gallons	4.6 gallon / 3.9 gallon (17.3 l / 14.71 l)
Noise level	dBA	73.7 dBA
Brush motor rating	W	80 W
Weight	lbs	75 lbs (34 kg)
Dimensions (L x W x H)	inches	36.3" x 14" x 30" (920 mm x 360 mm x 750 mm)

Equipment

Product	Order No.	Description
BRC 30/15 C	1.008-058.0	4-gallon carpet extractor

Accessories

Order No.	Description
■ 8.621-604.0	Brush, Chevron, 10"
■ 8.629-552.0	Brush, Extractor, Natural Bristles
■ 8.631-030.0	Assembly, Adapter (1/8" M X 1/4" FPT Nipple)
□ 8.629-036.0	Hand tool Kit with Bag
□ 8.600-075.0	Adapter for BRC 30/15 C

■ Included □ Optional

BRC 46/38 C



Designed for easy maintenance.

Designed for easy maintenance and servicing, to increase the life of your equipment investment.

BRC 46/38 C

Technical data

Vacuum motor	3 stage, bypass, 1.5 hp
Air flow rate	100 cfm
Water lift rate	117" water lift (2972 mm)
Solution pump	100 psi (6.4 bar)
Solution spray	2 quick-connect jets
Brush working width	18" (457 mm)
Working width, suction	21" (530 mm)
Tank (fresh/dirty)	10 gallon / 10 gallon (37 l / 37 l)
Noise level	75 dBA
Brush motor rating	250 W (1/3 hp)
Weight	94 lbs (42.6 kg)
Dimensions (L x W x H)	33" x 21" x 44" (840 mm x 530 mm x 1120 mm)

Equipment

Product	Order No.	Description
BRC 46/38 C	1.008-054.0	10 gallon carpet extractor

Accessories

Order No.	Description
■ 8.600-458.0	Jet, Mini PROMAX 9504
■ 8.600-115.0	Sp Brush, 18"
□ 8.600-001.0	Hand tool Kit with Bag
□ 8.602-852.0	Squeegee assembly 18"
□ 8.622-959.0	Replacement blade, 18" squeegee
□ 9.840-551.0	Air Quality MicroFilter™ Kit (Includes 2 filters and stainless steel bracket)
□ 8.623-611.0	One Air Quality MicroFilter™ Refill

■ Included □ Optional

BRC 46/76 W



Deep, restorative extraction.

The most value per gallon capacity in the industry. Performance breakthroughs and ergonomics create a carpet extractor that maximizes operator productivity. Exceptional maneuverability and compact design makes it easy to operate in small areas.

BRC 46/76 W

Technical data

Vacuum motor	hp	3 stage, bypass, 1.5 hp
Air flow rate	cfm	100 cfm
Water lift rate	inches	120" water lift
Solution pump	psi	100 psi (6.4 bar)
Solution spray		2 quick-connect jets
Brush working width	inches	18" (460 mm)
Working width, suction	inches	22" (560 mm)
Tank (fresh/dirty)	gallons	10 gallon / 10 gallon (37 l / 37 l)
Noise level	dBA	75 dBA
Brush motor rating	W	250 W
Weight	lbs	120 lbs (55 kg)
Dimensions (L x W x H)	inches	51" x 22" x 44" (1300 mm x 560 mm x 1110 mm)

Equipment

Product	Order No.	Description
BRC 46/76 W	1.008-650.0	20 gallon carpet extractor

Accessories

Order No.	Description	Order No.	Description
■ 8.600-112.0	Brush, 18 L X 4.5 OD	□ 8.634-234.0	Kurve™ Carpet Extraction Wand, 13"-Wide, 500 PSI, Aluminum Construction
■ 8.600-458.0	Jet, Mini PROMAX 9504	□ 8.600-060.0	Deluxe Professional Wand - 500 PSI, 63"-long with S-Bend
□ 8.608-908.0	BRC 46/76 Vacuum Accessory Tool Adapter	□ 8.600-061.0	Standard Wand - 100 PSI, 12"-Wide Stainless Steel, Heavy-Duty Wand for Use on any Carpet
□ 8.600-175.0	Nylon Mesh Hose Carrying Bag	□ 8.600-005.0	Spotting Wand - 100 PSI Lightweight Stainless Steel Spotting Wand, 56.5" in length
□ 8.626-069.0	Fill Hose with Faucet Adapter	□ 9.840-628.0	Spotting Wand Kit (Includes Spotting Wand, 12' Vacuum & Solution Hose and carrying case)
□ 8.604-105.0	Pro Heater™ 115V Heating System Booster	□ 8.604-148.0	Hard Floor Flip/Flop Tool - Converts BRC to Hard Surface Cleaning Tool.
□ 8.626-077.0	16 ft high temperature vac/solution hose assembly for use with Pro Heater™	□ 8.604-119.0	FastAction Spray Wand - with 25' Solution Hose
□ 8.604-106.0	115V ProSpray™ Power Sprayer (For applying Traffic Lane Cleanse, soil retardant, etc.)	□ 8.604-118.0	Extractor Spotting Wand - 18" Spray Wand with 4' Solution Hose for Pre-Spraying
□ 8.600-075.0	Solution Spotter Adapter (1/4" QD Plug X 1/8" FPT Female QD; 13" Long)	□ 8.624-157.0	Tee-Jet, Stainless Steel, 11002 (100 PSI Pumps)
□ 8.621-879.0	Hand tool, Spotter Kit with Vacuum and Solution Hoses, 1/8" QD Coupler	□ 8.620-176.0	Tee-Jet, Stainless Steel, 110015 (200 PSI Pumps)
□ 8.629-036.0	Hand tool, Spotter Kit with Bag (Includes 8.621-879.0 above)	□ 8.620-167.0	Tee-Jet, Stainless Steel, 9501 (500 PSI Pumps)
□ 8.600-001.0	Deluxe Hand Tool Kit (Includes 12' Hose & Carrying Bag) Requires 8.600-075.0 adapter!	□ 8.600-414.0	Hose Assembly, 12', 250 PSI
□ 8.600-002.0	Hand tool - 3" Vacuum Head, 250 PSI	□ 8.600-415.0	Hose Assembly, 16', 250 PSI
■ Included □ Optional		□ 8.628-416.0	Hose Assembly, 25', 250 PSI

PUZZI 50/35 C, 50/14 E, 64/35 E



Productive & Portable.

Puzzi 13 and 17 gallon portable extractors are powerful and versatile. Available in hot and cold water models and adjustable to 1-200 psi and 1-500 psi.

	Puzzi 50/35 C	Puzzi 50/14 E	Puzzi 64/35 E
Technical data			
Vacuum motor	One, three stage	Two, three stage	Two, three stage
Water lift	107" (2718 mm)	74" (1180 mm)	74" (1180 mm)
Air flow	73 cfm (2.06 m3 / min)	111 cfm (3.14 m3 / min)	111 cfm (3.14 m3 / min)
Solution pump	500 psi	200 psi	500 psi
Heater		1850 W	1850 W
Tank (fresh/dirty)	13 gallon / 11 gallon (49.2 l / 41.6 l)	13 gallon / 11 gallon (49.2 l / 41.6 l)	17 gallon / 14 gallon (64.3 l / 53 l)
Electrical system	120 v, 15 amp	2 x 120 v, 15 amp	2 x 120 v, 15 amp
Power cable	1 cord	2 cords	2 cords
Wheels	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)	2 x 4" (102 mm) 2 x 12" (305 mm) 2 x 3" (76 mm)
Weight	115 lbs (52.2 kg)	134 lbs (60.8 kg)	139 lbs (63 kg)
Dimensions (L x W x H)	30.5" x 22" x 43.25" (775 mm x 559 mm x 1098 mm)	30.5" x 22" x 43.25" (775 mm x 559 mm x 1098 mm)	32.5" x 22.5" x 43.25" (825.5 mm x 571.5 mm x 1098 mm)

Equipment		
Product	Order No.	Description
Puzzi 50/35 C	1.006-672.0	13 gallon spray carpet extractor
Puzzi 50/14 E	1.006-673.0	13 gallon spray carpet extractor with 1850 W heater
Puzzi 64/35 E	1.006-674.0	17 gallon spray carpet extractor with 1850 W heater

Accessories	
Order No.	Description
<input type="checkbox"/> 8.634-234.0	Kurve™ Deluxe Carpet Extraction Wand, 13", 500 PSI
<input type="checkbox"/> 8.632-885.0	Hose Rack
<input type="checkbox"/> 9.840-637.0	Complete Hose and Wand Kit (500 PSI Pro Wand, 25' Hose Set and Bag)
<input type="checkbox"/> 8.600-060.0	Deluxe Professional Wand* & 500 PSI High Temperature Hose
<input type="checkbox"/> 8.626-074.0	16.5', 500 PSI Vacuum Hose Set
<input type="checkbox"/> 8.624-189.0	25', 500 PSI Vacuum Hose Set
<input type="checkbox"/> 8.628-466.0	Auto detail kit with 25' vacuum hose (includes heavy-duty Auto Detail Tool, Crevice Tool with Detergent Application and Carry bag)
<input type="checkbox"/> 8.624-157.0	Deluxe Wand Nozzles, Tee-Jet, Stainless Steel, 11002 (100 PSI pumps)
<input type="checkbox"/> 8.620-176.0	Deluxe Wand Nozzles, Tee-Jet, Stainless Steel, 110015 (200 PSI pumps)
<input type="checkbox"/> 8.620-167.0	Deluxe Wand Nozzles, Tee-Jet, Stainless Steel, 9501 (500 PSI pumps)

■ Included □ Optional