

## BR 30/4 C



BR 30/4 C

### For cleaning small areas.

The BR 30/4 C provides a far more efficient and hygienic alternative to manual mopping and scrubbing. Ideal for use on hard floors and tile, the BR 30/4 C has been engineered to be easy to transport and even easier to use and is perfect for use in institutions, restaurants, schools, stores and even homes to maintain the appearance of floors and keep your premises sanitary.

- Vacuum-off ability
- Cleans forwards and backwards

#### Technical data

<b>Working width, brush</b>	12" (300 mm)
<b>Working width, vacuum</b>	12" (300 mm)
<b>Brushes</b>	One, 12" (300 mm) - Cylindrical
<b>Brush diameter</b>	2.4" (60 mm)
<b>Motor rating</b>	1.1 hp (850 W)
<b>Tank (fresh/dirty)</b>	1 gallon (4 l)
<b>Brush conTact pressure</b>	1.4 psi (100 g / cm2) / 16.5 lbs
<b>Brush rotation speed</b>	1550 rpm
<b>Max. area performance</b>	2,150 ft <sup>2</sup> / hr (200 m <sup>2</sup> /h)
<b>Noise level</b>	71 dBA
<b>Vacuum motor</b>	1.1 hp (850 W)
<b>Recovery Capacity</b>	1 gallon (4 l)
<b>Power cord</b>	32.8'
<b>Solution flow</b>	.25-.3 gallons / min (1-1.2 l/min)
<b>Weight</b>	24 lbs (11 kg)
<b>Dimensions (L x W x H)</b>	15.4" x 13" x 46.5" (391 mm x 330 mm x 1181 mm)

#### Equipment

Product	Order No.	Description
BR 30/4 C	1.783-221.0	12" scrubber with roller brushes

#### Accessories

Order No.	Description
■ 4.762-428.0	Roller Brush, Red
■ 4.777-420.0	Suction Bar
□ 4.762-453.0	Microfiber Roller Brush (1 required)
□ 4.762-452.0	Roller Brush, white (1 required)
□ 4.762-484.0	Roller Brush, orange (1 required)
□ 4.777.320.0	Squeegee Cartridge Replacement (1 each)
□ 2.642-662.0	Squeegee, standard, straight (includes set of 2)
□ 4.777-324.0	Squeegee, oil resistant, straight
□ 4.762-499.0	Carpet Brush, blue, designed for cleaning carpets (requires 5.033-275.0)
□ 5.033-275.0	Suction Bar, Carpet Cleaning (2 required), required for using carpet cleaning brush, designed for optimum suction on soft floors

■ Included □ Optional

## BR 35/12 C BP



### Extremely agile and mobile.

Thanks to the innovative steering concept KART (Kärcher Advanced Response Technology), the BR 35/12 C Bp can clean adjacent to the wall at a 90° angle. If required, it can also do so in reverse. The height-adjustable (telescoping and folding) steering column allows operators of any size to set their ideal working position. The folding steering column makes it easy to secure for transport. Eyelet points are provided and highlighted on the device to provide assistance with this.



#### BR 35/12 C Bp

- KART (Kärcher Advanced Response Technology) steering
- Pivoting cleaning head
- Light weight - 77 lbs
- eco:efficiency

#### Technical data

<b>Brush working width</b>	<b>inches</b>	14"
<b>Vacuum working width</b>	<b>inches</b>	18"
<b>Area performance</b>	<b>ft<sup>2</sup> / h</b>	15,069
<b>Intake performance</b>	<b>W</b>	500 W
<b>Fresh water/waste water tank</b>	<b>gallons</b>	3 / 3 gallons
<b>Brush speed</b>	<b>rpm</b>	700 - 1,500 rpm
<b>Weight (including battery)</b>	<b>lbs</b>	77 lbs
<b>Dimensions (L x W x H)</b>	<b>inches</b>	39" x 18" x 51"

#### Equipment

Product	Order No.	Description
BR 35/12 C Bp	1.783-454.0	14" scrubber with roller brushes

#### Accessories

	Order No.	Description
■	4.037-031.0	Roller Brush, red, medium
□	4.037-036.0	Roller Brush, white, soft
□	4.037-037.0	Roller Brush, orange, high/low
□	4.037-038.0	Roller Brush, green, hard
□	4.037-039.0	Roller Brush, black, very hard
□	4.762-009.0	Roller Pad roller shaft
□	6.369-053.0	Roller Pads on sleeve, yellow, soft
□	6.369-047.0	Roller Pads on sleeve, red, medium
□	6.369-052.0	Roller Pads on sleeve, green, hard
□	4.037-040.0	Microfiber roller
■	4.037-035.0	Suction Lip Set, standard, oil-resistant, polyurethane
■	6.654-294.0	Lithium-Ion Battery, 21 Ah

■ Included □ Optional

# BD 40/12 C BP



## Cleaning made easy.

The BD 40/12 C Bp has numerous useful features that make cleaning much easier and quicker which saves time and money. Perfectly designed fresh and dirty water tanks make filling and emptying easier. Easy battery charging with on-board charger. The machine is ready for the next cleaning task in minutes, for even more versatility and efficiency.

### BD 40/12 C Bp

- Compact and extremely maneuverable
- Battery powered
- Curved squeegee

#### Technical data

<b>Working width, brush</b>	<b>inches</b>	15"
<b>Working width, suction</b>	<b>inches</b>	18"
<b>Power rating</b>	<b>W</b>	510
<b>Fresh / dirty water tank</b>	<b>gallons</b>	3 / 3
<b>Brush speed</b>	<b>rpm</b>	150
<b>Theoretical area performance</b>	<b>ft<sup>2</sup> / h</b>	11840
<b>Practical area performance</b>	<b>ft<sup>2</sup> / h</b>	8880
<b>Battery capacity</b>	<b>V / Ah</b>	24 / 25
<b>Charger voltage</b>	<b>V / Hz</b>	220-240 / 50-60
<b>Weight</b>	<b>lbs</b>	141
<b>Dimensions (L x W x H)</b>	<b>inches</b>	30 x 15 x 22

#### Equipment

Product	Order No.	Description
BD 40 / 12 C Bp	9,841-227.0	15" scrubber with disc brushes

#### Accessories

Order No.	Description
■ 6.907-151.0	Disc Brush, red
■ 6.680-086.0	Suction Lip Set, oil resistant
■ 8.637-463.0	Battery, 12V, 25 Ah
□ 6.907-154.0	Disc Brush, white
□ 6.907-153.0	Disc Brush, natural
□ 6.907-152.0	Disc Brush, black
□ 6.907-150.0	Disc Pad Driver
□ 6.369-003.0	Pad, red (set 5x)
□ 6.369-002.0	Pad, green (set 5x)
□ 6.369-001.0	Pad, black (set 5x)
□ 6.369-959.0	Pad, Microfiber (set 5x)

■ Included □ Optional

## BR 40/10 C ADV



### More functions – more possibilities.

The BR 40/10 C Adv thoroughly deep-cleans all your hard floor surfaces then leaves them perfectly dry, safe and hygienic. This compact scrubber is engineered to be easy to transport and even easier to use with snap on wheels that conveniently stow on the operating handle. Ideal for use on hard floors and tile, the BR 40/10 C is perfect for use in institutions, restaurants, schools, stores and even homes to maintain the appearance of floors and keep your premises sanitary.

#### BR 40/10 C Adv

- High scrubbing power
- Variable conTact pressure
- Includes roller brushes

#### Technical data

Working width, brush	<b>inches</b>	16" (400 mm)
Brushes	<b>inches</b>	Two 16" (400 mm) - Cylindrical
Brush diameter	<b>inches</b>	3.7" (96 mm)
Down pressure	<b>lbs</b>	44 lbs - 88lbs
Solution flow	<b>gallons</b>	.25-.3 gallons/min (1-1.2 l/min)
Tank (fresh / dirty)	<b>gallons</b>	2.5 gallons (10 l)
Brush conTact pressure	<b>lbs</b>	44 - 88
Brush rotation speed	<b>rpm</b>	650 rpm
Max. area performance	<b>ft<sup>2</sup> / h</b>	4300
Vacuum motor	<b>W</b>	.6 hp (500 W)
Weight	<b>lbs</b>	66 lbs (30 kg)
Noise level	<b>dBA</b>	71 dBA
Power cord	<b>feet</b>	50'
Dimensions (L x W x H)	<b>inches</b>	20.5" x 18.5" x 47" (520 mm x 470 mm x 1193 mm)

#### Equipment

Product	Order No.	Description
BR 40 / 10 C Adv	1.783-312.0	16" scrubber with roller brushes

#### Accessories

	Order No.	Description
■	8.632-315.0	Cord set, 14 / 3 sjt x 50 ft, yellow
■	4.762-458.0	Roller brush red
■	4.777-323.0	Suction bar, complete replacement
□	8.635-691.0	16" Chemical-free cylindrical roller (2 required)
□	4.762-254.0	Carpet brush, blue (2 required)
□	4.777-417.0	Suction bar, carpet cleaning (2 required) - required for using carpet cleaning brush, designed for optimum suction on soft floors
□	4.762-250.0	Roller brush, white (2 required)
□	4.762-251.0	Roller brush, orange (2 required)
□	4.762-252.0	Roller brush, green (2 required)
□	4.762-481.0	Roller brush, black (2 required)
□	4.777-322.0	Oil resistant squeegee tool (2 required)
□	4.762-228.0	Roller pad shaft (2 required for microfiber pads)
□	6.369-724.0	Roller pads, yellow, complete (2 required)
□	6.369-726.0	Roller pads, red, complete (2 required)
□	6.369-725.0	Roller pads, green, complete (2 required)
□	6.369-727.0	Roller pads, white, complete (2 required)
□	4.114-004.0	Roller pad, microfiber


■ Included □ Optional

# BD/BR 40/25 C BP



## Fast and thorough cleaning for small areas.

These walk-behind scrubbers are suitable for maintenance cleaning and for quick clean-ups. They are easy to use, compact and highly maneuverable.



### BD 40/25 C Bp

- 1 disc
- Low noise

### BR 40/25 C Bp

- 2 rollers
- Corrosion-free frame
- Low noise

#### Technical data

		BD 40/25 C Bp	BR 40/25 C Bp
Brush working width	<b>inches</b>	16" (400 mm)	16" (400 mm)
Working width, vacuum	<b>inches</b>	30.3" (770 mm)	30.3" (770 mm)
Tank (fresh/dirty)	<b>gallons</b>	6.6 gallon (25 l)	6.6 gallon (25 l)
Max. area performance	<b>ft² / h</b>	17,222	17,222
Pad rotation speed	<b>rpm</b>	160 rpm	1350 rpm
Brush conTact pressure	<b>lbs</b>	.5 psi (36 g/cm²) / 88 lbs	3.6 psi (250 g/cm²) / 56.6 lbs x 2
Motor rating	<b>w</b>	1200 W	1200 W
Weight	<b>lbs</b>	134 lbs	121 lbs
Battery	<b>v</b>	24 V	24 V
Dimensions (L x W x H)	<b>inches</b>	31.5" x 22.5" x 32.5" (800 mm x 575 mm x 830 mm)	31.5" x 22.5" x 32.5" (800 mm x 575 mm x 830 mm)

#### Equipment

Product	Order No.	Description
BD 40/25 C Bp	9.841-094.0	16" scrubber with disc brushes with 105 Ah batteries and 12A charger
BD 40/25 C Bp	9.841-095.0	16" scrubber with disc brushes with 100 Ah AGM batteries and 12A charger
BR 40/25 C Bp	9.841-092.0	16" scrubber with roller brushes with 105 Ah batteries and 12A charger
BR 40/25 C Bp	9.841-093.0	16" scrubber with roller brushes with 100 Ah AGM batteries and 12A charger

#### Accessories

Order No.	Description	Order No.	Description
■ 4.762-458.0	Roller brush, red, (2 required)	□ 4.114-004.0	Microfiber roller (2 required)
■ 4.777-400.0	Complete suction bar with oil resistant squeegees, 30"	□ 6.369-727.0	Roller pads, white, complete (2 required)
□ 6.273-254.0	Squeegee blades, oil resistant	□ 6.369-724.0	Roller pads, yellow, complete (2 required)
■ 6.907-151.0	Disc brush, red	□ 6.369-726.0	Roller pads, red, complete (2 required)
□ 2.641-790.0	Water filler mounting kit	□ 6.369-725.0	Roller pads, green, complete (2 required)
□ 6.273-253.0	Squeegee blades, EPDM, complete set	□ 6.907-154.0	Disc brush, white
□ 6.273-262.0	Squeegee blades, oil resistant, slotted	□ 6.907-153.0	Disc brush, natural fibers
□ 4.762-250.0	Roller brush, soft, white	□ 6.907-152.0	Disc brush, black
□ 4.762-251.0	Roller brush, hi-low, orange	□ 6.371-078.0	Microfiber pad, 15", set of 5
□ 4.762-252.0	Roller brush, aggressive, green	□ 6.369-791.0	Disc pad, red, 15"
□ 4.762-481.0	Roller brush, black	□ 6.369-790.0	Disc pad, green, 15"
□ 4.762-274.0	Roller brush, natural	□ 6.369-789.0	Disc pad, black, 15"
□ 4.762-228.0	Roller pad shaft (2 required for microfiber pads)	□ 6.369-959.0	Pad, microfiber (set 5x)

■ Included □ Optional

## B 60/10 ECO AUTO MOP



### Filling the gap in floor scrubbing.

The Kärcher B 60/10 eco! auto mop is in a unique category of cleaning equipment designed to fill the gap between a mop and bucket and an auto scrubber; this machine cleans more effectively than a mop and bucket and less expensive than an auto scrubber.

The B 60/10 operates by dispensing clean solution on the floor and picking it up via a manually-powered pump. No power source is needed, making this an easy and green cleaning solution to cleaning floors.

#### B 60/10 eco!

- Five times as productive as a mop and bucket
- Leaves floor dry, reducing slip 'n' falls
- Hygienic system only uses clean water to scrub floor
- Easy to operate

#### Technical data

<b>Pad working width</b>	<b>inches</b>	24
<b>Vacuum working width</b>	<b>inches</b>	25
<b>Area performance</b>	<b>ft<sup>2</sup> / h</b>	15,840
<b>Fresh water/waste water tank</b>	<b>gallons</b>	2 / 2.5
<b>Sound</b>	<b>dBa</b>	52
<b>Weight</b>	<b>lbs</b>	44 lbs
<b>Dimensions (L x W x H)</b>	<b>inches</b>	31 x 25 x 43 (handle folded)

#### Equipment

Product	Order No.	Description
B 60/10 eco! Base	1.006-701.0	24" auto mop, includes mop wringer and bracket, bucket, front bracket, mop hook and caddy
B 60/10 eco! Detail	1.006-708.0	24" auto mop, includes mop wringer and bracket, bucket, front bracket, mop hook and caddy
B 60/10 eco! Productivity	1.006-707.0	24" auto mop, includes mop wringer and bracket, mop hook and caddy
B 60/10 eco! Hygiene	1.006-706.0	24" auto mop, includes mop wringer and bracket, bucket, mop hook and caddy

#### Accessories

Order No.	Description
<input type="checkbox"/> 8.637-949.0	Hygiene Kit: includes 1 hook, mop tray and caddy
<input type="checkbox"/> 8.637-950.0	Productivity Kit: includes 1 hook, mop tray and wringer
<input type="checkbox"/> 8.637-951.0	Detail Kit: includes 2 hooks, mop tray, wringer, clean water bucket and bracket
<input type="checkbox"/> 8.637-944.0	Deck Pad (5-pack)
<input type="checkbox"/> 8.637-592.0	3M easy trap (50-strips bulk roll)


■ Included □ Optional

# BD 50/50 C CLASSIC BP



## Professional cleaning performance, easier.

This economically-designed scrubber provides you all the cleaning power to take on large applications - perfect for retail environments, schools and health care facilities.



### BD 50/50 C Classic BP

- 20" disc brush
- EASY-Operation
- Dial-adjustable squeegee
- Easy access to batteries

#### Technical data

<b>Working width, brushes</b>	<b>inches</b>	20
<b>Working width, vacuuming</b>	<b>inches</b>	33.5
<b>Practical area performance</b>	<b>ft² / h</b>	13,200
<b>Fresh/dirty water tank volume</b>	<b>gallons</b>	14 / 14
<b>Water flow max.</b>	<b>gpm</b>	.608
<b>Minimum turning radius</b>	<b>inches</b>	59
<b>Power rating, overall machine</b>	<b>W</b>	1100
<b>Weight (without battery)</b>	<b>lbs</b>	126
<b>Operating noise level</b>	<b>dBA</b>	66
<b>Dimensions (L x W x H)</b>	<b>inches</b>	47 x 21 x 39
<b>ConTact pressure</b>	<b>lbs</b>	59-62

#### Equipment

Product	Order No.	Description
BD 50/50 C Classic BP	9.841-369.0	20" disc brush scrubber with 105 Ah batteries and shelf charger
BD 50/50 C Classic BP	9.841-370.0	20" disc brush scrubber with 100 Ah AGM batteries and shelf charger

#### Accessories

Order No.	Description
■ 4.905-026.0	Brush, medium red - For general cleaning needs
■ 4.777-411.0	Squeegee, 33.5" curved
□ 4.905-027.0	Brush, soft natural - Made of natural fibers for cleaning and polishing
□ 4.905-029.0	Brush, hard black - For stubborn dirt and basic cleaning. For hard wearing surfaces.
□ 4.762-534.0	Pad drive board - For cleaning with pads. With quick-change coupling and center lock.
□ 6.369-079.0	Pad, medium soft red (5 pieces) - For cleaning all types of floors.
□ 6.369-078.0	Pad, medium hard green (5 pieces) - For cleaning heavy soiled floors and for deep cleaning.
□ 6.369-077.0	Pad, hard black (5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□ 6.369-468.0	Pad, beige (5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□ 6.371-146.0	Pad, beige (natural fiber, 5 pieces) - For polishing and refreshing of hard and elastic smooth floor coverings.
□ 4.777-401.0	Squeegee, 33.5" straight
□ 5.035-488.0	Home base adapter
□ 6.980-077.0	Double hook
□ 4.035-406.0	Home base box kit
□ 6.980-078.0	Mop clip
□ 6.980-080.0	Bottle hook
□ 4.070-075.0	Universal hook


■ Included □ Optional

# B 40 C/W BP



## Quiet, compact, innovative and fully configurable.

Why should a machine just be easy to operate, when it could be even easier. As well as safer and more convenient in many ways? With Kärcher Intelligent Key and advanced EASY operation concept, the B 40 C/W family offers a spectrum of safety and protection for operators, machines and your floors.



### B 40 W

■ Traction Drive base unit

### B 40 C

■ Brush Assist base unit

#### Technical data

		24 V	24 V	24 V	24 V
Nominal voltage	V	24 V	24 V	24 V	24 V
Brush working width	inches	17-20", disc	18-22", cylindrical	17-20", disc	18-22", cylindrical
Working width, suction	inches	33.5"	33.5"	33.5"	33.5"
Theoretical area performance	ft <sup>2</sup> / h	18,300-23,680	18,300-23,680	18,300-23,680	18,300-23,680
Fresh/dirty water tank volume	gallons	10.6 / 10.6 gal	10.6 / 10.6 gal	10.6 / 10.6 gal	10.6 / 10.6 gal
Max. water flow	gpm	.68 gal/min	.68 gal/min	.68 gal/min	.68 gal/min
Max. rpm	rpm	1,200 rpm	1,200 rpm	1,200 rpm	180 rpm
Power consumption, entire device	W	1300 W	1300 W	1100 W	1100 W
Power consumption, vacuum motor	W	500 W	500 W	500 W	500 W
Power consumption, brush motors	W	600 W	600 W	600 W	600 W
Power consumption, traction motor	W	130 W	130 W	-	-
Operating Noise Level	dBA	60-69	60-69	60-69	60-69
Weight (with battery)	lbs	307-384	307-384	290-370	290-370
Dimensions (L x W x H)	inches	49" x 20.5" x 45"	49" x 20.5" x 45"	49" x 20.5" x 45"	49" x 21.1" x 45"

#### Equipment

Product	Order No.	Description
B 40 W Bp	9.841-372.0	10.6 Gallon Scrubber with 105 Ah Low Maint. Batteries, R55 Scrub Deck
B 40 W Bp	9.841-373.0	10.6 Gallon Scrubber with 105 Ah Low Maint. Batteries, D51 Scrub Deck
B 40 W Bp	9.841-374.0	10.6 Gallon Scrubber with 138 Ah AGM Batteries, R55 Scrub Deck
B 40 W Bp	9.841-375.0	10.6 Gallon Scrubber with 138 Ah AGM Batteries, D51 Scrub Deck
B 40 W Bp	9.841-122.0	Traction drive base unit with 105 Ah batteries (cleaning head sold separately)
B 40 W Bp	9.841-123.0	Traction drive base unit with 138 Ah AGM batteries (cleaning head sold separately)
B 40 C Bp	9.841-120.0	Brush assist base unit with 105 Ah batteries (cleaning head sold separately)
B 40 C Bp	9.841-121.0	Brush assist base unit with 138 Ah AGM batteries (cleaning head sold separately)




# B 60 W BP



**Diverse. Efficient. Quiet.**  
**Fully configurable scrubber.**

Efficient cleaning has a new name: B 60 W BP. Not only is this machine economical, it also achieves impressively high area performances. Equipment, working width and squeegee shape can be selected according to requirements of the cleaning application. The KIK system guarantees simple and safe operation. Operator settings can be precisely defined in advance.



### B 60 W Bp

+ brush head		R 55	D 55	R 65	D 65	S 65
Brush working width	inches	22	22	26	26	26
Working width, suction	inches	33	33	37	37	37
Theoretical area performance	ft <sup>2</sup> / h	23680	23680	27986	27986	23681
Fresh/dirty water tank capacity	gallons	16 / 16	16 / 16	16 / 16	16 / 16	16 / 16
Max. water flow	gallons	1	1	1	1	1
Max. speed	rpm	600-1300	180	600-1300	180	2000
Power consumption, entire device	W	2100	2100	2100	2100	900
Power consumption, traction motor	W	300	300	300	300	300
Operating Noise Level	dBA	61-66	61-66	61-66	61-66	61-66
Dimensions (L x W x H)	inches	59 x 26 x 45	58 x 26 x 45	60 x 29 x 45	60 x 29 x 45	57 x 28 x 45
Weight (with battery)	lbs	400	360	425	400	430

### Equipment

Product	Order No.	Description
B 60 W Bp	9.841-386.0	16 gallon, 245 Ah Low Maintenance Batteries, D 65 Brush Head
B 60 W Bp	9.841-387.0	16 gallon, 230 Ah AGM Batteries, D 65 Brush Head
B 60 W Bp	9.841-171.0	Walk-behind scrubber, includes 245 Ah batteries and charger, cleaning head sold separately
B 60 W Bp	9.841-172.0	Walk-behind scrubber, includes 230 Ah AGM batteries and charger, cleaning head sold separately
B 60 W Bp	9.841-173.0	Walk-behind scrubber, includes 230 Ah AGM batteries and charger, cleaning head sold separately
B 60 W Bp	9.841-174.0	Walk-behind scrubber, includes 245 Ah batteries and charger, cleaning head sold separately
B 60 W Bp	9.841-175.0	Walk-behind scrubber, includes 230 Ah AGM batteries and charger, cleaning head sold separately
B 60 W Bp	9.841-181.0	Walk-behind scrubber, includes 230 Ah AGM batteries and charger, cleaning head sold separately

### Accessories

Order No.	Description
■ 4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
■ 5.035-488.0	Adapter homebase accessories
■ 6.980-077.0	Double hook (requires 5.035-488.0)
■ 5.035-344.0	Operator key, yellow
■ 5.035-348.0	Foreman key, gray
□ 4.035-386.0	Lid with tank rinsing system
□ 4.035-345.0	Quick fill tank system (requires 9.083-003.0)
□ 9.083-003.0	Hose coupling
□ 6.273-214.0	Squeegee blade set, blue EPDM
□ 6.273-208.0	Squeegee blade set, oil resistant (standard w/ 4.777-412.0)
□ 6.273-205.0	Squeegee blade set, anti stripe oil resistant
□ 6.273-291.0	Squeegee blade set, for textured floors
□ 4.035-472.0	New connection element for roller brush heads, B 60 W
□ 4.035-473.0	New connection element for disc brush heads, B 60 W
□ 2.640-430.0	Spray suction set - simplifies the cleaning of difficult to reach areas like corners, edges and between objects
□ 2.640-920.0	Noise reduction set, reduces noise level by 3dB(a)
□ 4.444-015.0	Suction hose accessories, for taking in water from corners (e.g.. Deep freezers)
□ 4.744-162.0	Gym set, din 18032, reduces the pressure to the floor


■ Included □ Optional

# B 80 W BP



## Excellent maneuverability for large surfaces.

The range of B 80 W BP scrubbers are large but still easily maneuverable. With a robust and maintenance-friendly brush head, they are available with roller or disc brushes in 22", 26" and 30" working widths.



### B 80 W Bp

		R 65	D 65
<b>+ brush head</b>			
<b>Brush working width</b>	inches	26	26
<b>Working width, suction</b>	inches	37	37
<b>Theoretical area performance</b>	ft <sup>2</sup> / h	27986	27986
<b>Fresh/dirty water tank capacity</b>	gallons	21 / 21	21 / 21
<b>Max. water flow</b>	gallons	2	2
<b>Max. speed</b>	rpm	600-1300	180
<b>Power consumption, entire device</b>	W	2200	2200
<b>Power consumption, traction motor</b>	W	350	350
<b>Weight (excluding battery)</b>	lbs	282	289
<b>Operating Noise Level</b>	dBA	61-66	61-66
<b>Dimensions (L x W x H)</b>	inches	61 x 29 x 45	62 x 29 x 45

### Equipment

Product	Order No.	Description
B 80 W Bp	9.841-388.0	21 gallon, w/ 225 AH batteries, D 65 brush head
B 80 W Bp	9.841-204.0	21 gallon, w/ 260 AH batteries, D 65 brush head
B 80 W Bp	9.841-195.0	26" walk-behind scrubber, includes R 65 cleaning head, batteries and charger sold separately
B 80 W Bp	9.841-196.0	26" walk-behind scrubber, includes D 65 cleaning head, batteries and charger sold separately
B 80 W Bp	9.841-197.0	Walk-behind scrubber, includes 225 Ah batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-198.0	26" walk-behind scrubber, includes R 65 cleaning head and 225 Ah batteries and charger
B 80 W Bp	9.841-199.0	Walk-behind scrubber, includes 255 Ah batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-200.0	26" walk-behind scrubber, includes R 65 cleaning head and 255 Ah batteries and charger
B 80 W Bp	9.841-201.0	26" walk-behind scrubber, includes D 65 cleaning head and 255 Ah batteries and charger
B 80 W Bp	9.841-202.0	Walk-behind scrubber, includes 260 Ah batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-203.0	26" walk-behind scrubber, includes D 65 cleaning head and 260 Ah batteries and charger

### Accessories

Order No.	Description
■ 4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
■ 5.035-488.0	Adapter Homebase accessories
■ 6.980-077.0	Double hook (requires 5.035-488.0)
■ 5.035-344.0	Operator key, yellow
■ 5.035-348.0	Foreman key, gray
□ 8.600-251.0	Cable asm, bat. Jumper x 15" (required w/ no batt units)
□ 4.035-345.0	Quick fill tank system (requires 9.083-003.0)
□ 9.083-003.0	Hose coupling
□ 6.273-214.0	Squeegee blade set, blue EPDM
□ 6.273-208.0	Squeegee blade set, oil resistant - standard w/ 4.777-412.0
□ 6.273-205.0	Squeegee blade set, anti stripe oil resistant
□ 6.273-291.0	Squeegee blade set, for textured floors



■ Included □ Optional

# B 90 R ADV BP



**Everything you could ever wish for in a machine.**

The ride-on B 90 R scrubber is everything you ever dreamed of. Features such as the working width, squeegee length, design and scrubber system can be selected to suit individual requirements. The machine is then tailor-made to suit your specific requirements.



## B 90 R Adv Bp

### Technical data

<b>Brush working width</b>	<b>inches</b>	22 / 26 / 30
<b>Working width, vacuum</b>	<b>inches</b>	37
<b>Fresh/recovered water tank</b>	<b>gallons</b>	24 / 24
<b>Performance practical†</b>	<b>ft² / h</b>	29,400
<b>Performance max†</b>	<b>ft² / h</b>	42,000
<b>Battery</b>	<b>V</b>	24
<b>Dimensions (L x W x H)</b>	<b>inches</b>	57 x 32 x 47
<b>Weight *</b>	<b>lbs</b>	331
<b>Brush speed</b>	<b>rpm</b>	625 / 980 / 1550
<b>Noise level</b>	<b>dBA</b>	75
<b>Climbing ability</b>	<b>%</b>	18

† In conjunction with R 65 head.

### Equipment

Product	Order No.	Description
B 90 R Adv Bp	9.841-389.0	24 gal, 26" ride-on scrubber with (2) 12v 225 Ah, D 65 brush head.
B 90 R Adv Bp	9.841-390.0	24 gal, 26" ride-on scrubber with (4) 6v 255 Ah AGM, D 65 brush head.
B 90 R Adv Bp	9.841-391.0	24 gal, 26" ride-on scrubber with (4) 6v 312 Ah AGM, D 65 brush head.
B 90 R Adv Bp	1.161-308.0	26" ride-on scrubber, suction bar/squeegee, battery, charger and cleaning head sold separately.
B 90 R Adv Bp	9.840-946.0	24 gal, 26" ride-on scrubber with 225 Ah batteries, cleaning head sold separately.
B 90 R Adv Bp	9.840-947.0	24 gal, 26" ride-on scrubber with 255 Ah AGM batteries, cleaning head sold separately.
B 90 R Adv Bp	9.840-948.0	24 gal, 26" ride-on scrubber with 312 Ah AGM batteries, cleaning head sold separately.
B 90 R Adv Bp	9.840-750.0	24 gal, 26" ride-on scrubber with (2) 2V 225 Ah batteries with R 65 cleaning head.
B 90 R Adv Bp	9.840-749.0	24 gal, 26" ride-on scrubber with (4) 6V 255 Ah AGM batteries with R 65 cleaning head.
B 90 R Adv Bp	9.840-912.0	24 gal, 26" ride-on scrubber with (4) 6V 312 Ah AGM batteries with R 65 cleaning head.

### Accessories

Order No.	Description
■ 4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
□ 6.273-214.0	Squeegee blade set, Blue EPDM
□ 6.273-208.0	Squeegee Blade Set, oil resistant - standard w/ 4.777-412.0
□ 6.273-205.0	Squeegee Blade Set, anti stripe oil resistant
□ 6.273-291.0	Squeegee Blade Set, for textured floors
□ 4.444-015.0	Suction hose accessories, for taking in water from corners (e.g. deep freezers)
□ 2.641-364.0	Protection sensor accessory kit - increasing operating safety. The machine automatically reduces speed near objects.
□ 4.744-162.0	Gym set, DIN 18032, reduces the pressure to the floor

■ Included □ Optional