

CV 300, CV 380



Dual motors for maximum power, superior maneuverability and quiet operation.

Kärcher's CV dual-motor upright vacuums are designed to be simultaneously powerful, lightweight and easy to maneuver. Our 1,000 watt vacuum motors pick up more dirt in a single pass than their comparable single-motor counterparts while our patented filtration system filters out particulates and allergens down to 0.3 microns.

CV 300

- Powerful dual motor upright vacuum
- innovative, articulating head for superior maneuverability
- Ergonomic carrying handle for easy transport

CV 380

- Powerful dual motor upright vacuum
- Patented filtration system - large surface area, high efficiency to 0.3 microns

Technical data

Technical data		CV 300	CV 380
Working width	in	12 (305 mm)	15 (381 mm)
Vacuum motor	HP	1.4 / 1000 W	1.4 / 1000 W
Housing		Injection molded, high impact ABS & PP plastic	Injection molded, high impact ABS & PP plastic
Brush drive		Non-slip toothed belt, enclosed safety clutch & speed control	Non-slip toothed belt, enclosed safety clutch & speed control
Water lift	in	92	92
Air flow rate	cfm	102 cfm	102 cfm
Brush motor	HP	.24 / 175 W	.24 / 175 W
Brush speed	RPM	2700	2700
Noise level	dBA	69.5	70
Wheels	in	2 diameter, rubberized	2 diameter, rubberized
Weight	lbs	19.6	20
Cable length	ft	40, 18/3 SJT	40, 18/3 SJT
Dust bag		Triple layer bag, 3.5 liter, top-loading	Triple layer bag, 3.5 liter, top-loading
Dimensions (L x W x H)	in	47" x 12" x 8.5" (1193 mm x 305 mm x 216 mm)	47" x 15" x 8.5" (1193 mm x 381 mm x 216 mm)

Equipment

Product	Order No.	Description
CV 300	1.012-059.0	12" dual-motor upright commercial vacuum
CV 380	1.012-060.0	15" dual-motor upright commercial vacuum

Accessories

	Order No.	Description
■	8.600-495.0	Brush Roller 12"
■	8.632-214.0	Exhaust Filter Back
■	8.628-477.0	Filter, Motor Protection
■	8.613-849.0	Brush Roller 15"
□	8.632-244.0	Clips, Attachment Dark Gray
□	8.633-398.0	Filter Bag (10 PK)
□	8.632-245.0	Crevice Tool, Dark Gray
□	8.614-629.0	Upholstery Nozzle, Dark Gray
□	8.614-100.0	Dusting Brush, Dark Gray
□	8.604-147.0	Kit, CV Upright Tools, Crevice Nozzle, Upholstery Nozzle, and Mounting Clip
□	8.634-975.0	20" Extension Tool

■ Included □ Optional

CVU HEPA VACUUM



The most durable single-motor upright vacuum in it's class.

The CVU 30/1, 36/1 and 46/1 HEPA use a single motor to power the suction and roller brush and provide HEPA final stage filtration. These lightweight and quiet vacuums are built for the rigors of retail, hospitals and building services management.



CVU 30/1 HEPA

- 40' high vis power cable
- HEPA filter
- Tool-free brush strip replacement
- 1.5 lbs handle weight

CVU 36/1 HEPA

- 40' high vis power cable
- HEPA filter
- Tool-free brush strip replacement
- 1.5 lbs handle weight

CVU 46/1 HEPA

- 40' high vis power cable
- HEPA filter
- Tool-free brush strip replacement
- 1.5 lbs handle weight

Technical data

		CVU 30/1 HEPA	CVU 36/1 HEPA	CVU 46/1 HEPA
Air flow rate	CFM	105	105	105
Vacuum	H₂O	90"	90"	90"
Container capacity	gallons	1.4 (5.3 l)	1.4 (5.3 l)	1.4 (5.3 l)
Brush motor / speed	hp	1.6	1.6	1.6
Brush speed	rpm	2700	2700	2700
Max power rating	W	1230	1230	1230
Working width	inches	12	14	18
Cable length	feet	40	40	40
Sound level	dBA	67	67	67
Weight	lbs	20	20	20
Dimensions (L x W x H)	inches	11" x 12" x 46"	11" x 14" x 46"	11" x 18" x 46"

Equipment

Product	Order No.	Description
CVU 30/1 HEPA	1.012-595.0	12" single-motor commercial vacuum
CVU 36/1 HEPA	1.012-591.0	14" single-motor commercial vacuum
CVU 46/1 HEPA	1.012-592.0	18" single-motor commercial vacuum

Accessories

Order No.	Description
■ 8.600-522.0	Replacement 0.3 micron Air Quality MicroFilter™
■ 8.631-930.0	Crevice tool (black)
■ 8.631-929.0	Upholstery tool (black)
■ 8.613-769.0	Extension hose
■ 8.639-454.0	HEPA filter
■ 8.639-785.0	40 ft (yellow)
■ 8.639-763.0	Standard on CVU 30/1 HEPA
■ 8.600-244.0	Standard on CVU 36/1 HEPA
■ 8.600-164.0	Standard on CVU 46/1 HEPA
□ 8.600.500.0	Package of 10 dust bags
□ 8.628-474.0	Includes: dusting brush and holding clip to mount to handle

■ Included □ Optional

NT 14/1 ECO ADV



The craftsman's best friend.

More than just another vacuum, the NT 14/1 Eco Advanced was developed by craftsmen for craftsmen. Intelligently designed to make the job of a craftsman easier. It's flat top provides a sitting area; It detaches from its base for easy carrying; Large wheels makes it easy to transport; And, its folding handle limits bending and dragging.

NT 14/1 Eco Advanced

- Folding handle
- Semi-automatic filter cleaning
- Easy to remove suction unit

Technical data

Container capacity	3.7 gallon (14 l)
Air flow rate	129 cfm
Water lift	88.6" water lift
Max. power rating	1380 W
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Cable length	24' (7.5 m)
Operating noise level	68 dBA
Weight	33 lbs (15 kg)
Dimensions (L x W x H)	21.5" x 18.5" 16.5" (545 mm x 465 mm x 410 mm)

Equipment

Product	Order No.	Description
NT 14/1 Eco Advanced	1.510-114.0	4-gallon wet/dry vacuum with Tact

Accessories

	Order No.	Description
<input type="checkbox"/>	2.637-595.0	Universal Accessory Kit (Includes 3M Suction Hose, 2 Metal Extensions, 1 Angle, 1 All-Purpose Tool, 1 Crevice Tool, 1 Upholstery Tool, 1 Carpet/Hard Floor Tool, 1 Floor Tool for Wet Pick-Up)
<input type="checkbox"/>	2.637-352.0	Building Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Angle, 1 Crevice Tool, 1 Floor Tool)
<input type="checkbox"/>	2.637-353.0	Professional Cleaning Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Bend, 1 Crevice Tool, 1 Floor Tool with Rollers)
<input type="checkbox"/>	2.862-166.0	Car Cleaning Kit (Includes 1 Car Vacuuming Tool, 1 35MM Upholstery Tool, 1 40/35MM Reducer, 1 Crevice Tool, 1 Suction Brush)
<input type="checkbox"/>	6.904-315.0	Fleece Filter bag
<input type="checkbox"/>	6.904-210.0	Paper Filter bag, 5 piece

■ Included □ Optional

NT 35/1 Tact



Efficient vacuum cleaner.

These powerful vacuum cleaners pick up coarse dirt and liquids as well as large quantities of fine dust. Tact, the fully automatic cleaning system, cleans the filter with strong air blasts. Ideal for long periods of uninterrupted use and constant high suction power.

NT 35/1 Eco

- Tact - Auto Filter Clean System
- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	9.2 gallon (35 l)
Vacuum motor	8 AMPS
Water lift	88"
Max. power rating	1,265 W
Filtration system	Tact
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	120 cfm
Operating noise level	67 dBA
Weight	25.3 lbs (11.5 kg)
Dimensions (L x W x H)	20.4" x 15" x 22.8" (520 mm x 380 mm x 580 mm)

Equipment

Product	Order No.	Description
NT 35/1 Eco	1.184-854.0	9-gallon wet/dry vacuum with Tact

Accessories

Order No.	Description
■ 6.904-210.0	NT 35/1 Paper Filter Bag 5-Pack (1 included with Machine)
■ 6.904-367.0	NT 35/1 & NT 45/1 Standard Dust Filter
■ 6.903-284.0	Floor Tool
■ 6.900-514.0	Suction Tube DN35
■ 5.031-718.0	Elbow
■ 6.906-240.0	Crevice Nozzle, 1.4" (35 mm)
■ 4.440-626.0	Suction Hose C DN35 8'
■ 5.453-042.0	Sleeve Tool

■ Included □ Optional

NT 45/1 Tact



Rugged and dependable commercial wet/dry vacuum.

High efficiency, low wear: The motor of the NT 45/1 Tact has no carbon brushes – ideal for hard and long industrial use with a life expectancy of 5,000 hours.

NT 45/1 Tact

- Tact - Auto Filter Clean System
- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	11.9 gallon (45 l)
Vacuum motor	8 AMPS
Water lift	88"
Max. power rating	1,265 W
Filtration system	Tact
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	120 cfm
Operating noise level	67 dBA
Weight	27.5 lbs (12.5 kg)
Dimensions (L x W x H)	20.4" x 15" x 27" (520 mm x 380 mm x 686 mm)

Equipment

Product	Order No.	Description
NT 45/1 Tact	1.145-834.0	12-gallon wet/dry vacuum with Tact

Accessories

Order No.	Description
■ 6.904-208.0	NT 45/1 Paper Filter Bag 5-Pack (1 included with Machine)
■ 6.904-367.0	NT 35/1 & NT 45/1 Standard Dust Filter
■ 4.440-626.0	Suction Hose C DN35 8'
■ 6.903-284.0	Floor tool DN35
■ 5.031-718.0	Elbow
■ 6.900-514.0	Suction Tube, 1.4" (35 mm) X 1.6' (0.5 m)
■ 6.906-240.0	Crevice Nozzle, 1.4" (35 mm)

■ Included □ Optional

NT 48/1



Standard class – high suction.

These standard class wet and dry vacuum cleaners are ideal for wet and dry vacuuming of small areas with powerful suction performance. Robust, affordable and versatile, they effortlessly pick up dirt and liquid and are ideal for contract cleaners and for use in the automotive industry.



1 Container draining

- An easily accessible drain hose enables convenient and safe container emptying.

2 Accessory storage

- Accessories can be stored at the back of the container.

NT 48/1

- Optional wet filter bags for water pick up
- Drain hose
- Electronic tank level monitor

Technical data

Container capacity	12.6 gallon (48 l)
Vacuum motor	10 AMPS
Water lift	80"
Max. power rating	1,200 W
Filtration system	Traditional cylindrical
Cable length	25' (7.6 m)
Hose length & diameter	8' x 1.37" (2,438 mm x 35 mm)
Air flow rate	141 cfm
Operating noise level	66 dBA
Weight	22 lbs (10 kg)
Dimensions (L x W x H)	19" x 15.4" x 30.3" (485 mm x 390 mm x 770 mm)

Equipment

Product	Order No.	Description
NT 68/1	1.428-623.0	13-gallon wet/dry vacuum

Accessories

Order No.	Description
■ 6.414-789.0	Cylindrical Dust Filter
■ 6.904-285.0	Paper Filter Bag (5-Pack, 1 bag Included with machine)
■ 6.906-512.0	All-Purpose Nozzle
■ 6.900-385.0	8.3" (270 mm) All Purpose Crevice Nozzle
■ 4.440-626.0	8' X 35 mm Hose with Comfortable Hand Grip
■ 6.900-514.0	1.6' (0.5 m) Metal Suction Tube (35 mm ID)
■ 6.906-240.0	Crevice Nozzle, DN35

■ Included □ Optional

OPTIONAL ACCESSORIES

NT 48/1 Accessories

Order No.	Description
<input type="checkbox"/> 6.904-211.0	Wet Filter Bag
<input type="checkbox"/> 6.906-384.0	14.6" (370 mm) Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Strips and Oil Resistant Squeegees
<input type="checkbox"/> 6.906-513.0	10.2" (360 mm) Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips
<input type="checkbox"/> 6.903-018.0	14.6" (370 mm) Aluminum All-Purpose Head with Height-Adjustable Rollers, Brush Stripes and Rubber Lips
<input type="checkbox"/> 6.906-554.0	14.2" (370 mm) Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
<input type="checkbox"/> 6.906-383.0	17.7" (450 mm) Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
<input type="checkbox"/> 2.860-113.0	6.3" (160 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 2.860-114.0	10.6" (270 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 6.903-033.0	11.4" (290 mm) Crevice Tool
<input type="checkbox"/> 6.900-385.0	8.3" (210 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.906-240.0	9.8" (250 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.900-922.0	14.6" (370 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.905-817.0	15.8" (400 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.903-033.0	11.4" (290 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.906-108.0	3.5" (90 mm) Car Cleaning Nozzle, 35 mm ID
<input type="checkbox"/> 6.900-233.0	4.7" (120 mm) Plastic Upholstery Nozzle, 35 mm ID

■ Included □ Optional

NT 45/1 Tact Accessories

Order No.	Description
<input type="checkbox"/> 6.904-242.0	NT 35/1 & NT 45/1 HEPA Dust Filter Element
<input type="checkbox"/> 2.637-595.0	Universal Accessory Kit (Includes 3M Suction Hose, 2 Metal Extensions, 1 Angle, 1 All-Purpose Tool, 1 Crevice Tool, 1 Upholstery Tool, 1 Carpet/Hard Floor Tool, 1 Floor Tool for Wet Pick-Up)
<input type="checkbox"/> 6.906-512.0	All-Purpose Nozzle
<input type="checkbox"/> 6.902-081.0	1.6' (0.5 m) Metal Suction Tube (40 mm ID) Stainless Steel
<input type="checkbox"/> 6.906-321.0	1.6" (40 mm) X 13' (4 m) Suction Hose with Clip Connections
<input type="checkbox"/> 2.637-352.0	Building Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Angle, 1 Crevice Tool, 1 Floor Tool)
<input type="checkbox"/> 2.637-353.0	Professional Cleaning Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Bend, 1 Crevice Tool, 1 Floor Tool with Rollers)
<input type="checkbox"/> 2.862-166.0	Car Cleaning Kit (Includes 1 Car Vacuuming Tool, 1 35MM Upholstery Tool, 1 40/35MM Reducer, 1 Crevice Tool, 1 Suction Brush)
<input type="checkbox"/> 2.637-355.0	Industrial Kit (Includes 4M Oil-Resistant Hose, 1 Bend, 2 Metal Extensions, 1 Crevice Tool, 1 Aluminum Surface Tool, 1 Metal Floor Tool)
<input type="checkbox"/> 6.906-511.0	10.6" (270 mm) Dry Combination Nozzle, Plastic with Stainless Steel Plate
<input type="checkbox"/> 6.906-384.0	14.6" (370 mm) Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Strips and Oil Resistant Squeegees
<input type="checkbox"/> 6.906-513.0	10.2" (360 mm) Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips
<input type="checkbox"/> 6.903-018.0	14.6" (370 mm) Aluminum All-Purpose Head with Height-Adjustable Rollers, Brush Stripes and Rubber Lips
<input type="checkbox"/> 6.906-554.0	14.2" (370 mm) Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
<input type="checkbox"/> 6.906-383.0	17.7" (450 mm) Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
<input type="checkbox"/> 4.130-413.0	19.7" (500 mm) Aluminum Oil Proof All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
<input type="checkbox"/> 2.860-113.0	6.3" (160 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 2.860-114.0	10.6" (270 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 6.903-033.0	11.4" (290 mm) Crevice Tool
<input type="checkbox"/> 6.900-385.0	8.3" (210 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.906-240.0	9.8" (250 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.900-922.0	14.6" (370 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.905-817.0	15.8" (400 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.906-108.0	3.5" (90 mm) Car Cleaning Nozzle, 35 mm ID
<input type="checkbox"/> 6.900-952.0	3.5" (90 mm) Car Cleaning Nozzle, 40 mm ID
<input type="checkbox"/> 6.900-233.0	4.7" (120 mm) Plastic Upholstery Nozzle, 35 mm ID
<input type="checkbox"/> 6.903-034.0	Radiator Brush for use with 6.900-385.0
<input type="checkbox"/> 6.903-035.0	Brush
<input type="checkbox"/> 6.903-036.0	Plastic, Pipe Diameter 7.8" (200 mm)
<input type="checkbox"/> 6.903-862.0	Suction Brush, Natural Hair, Pivotal, 35 mm ID
<input type="checkbox"/> 2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID
<input type="checkbox"/> 2.863-147.0	All-Purpose Brush, Soft 35 mm ID
<input type="checkbox"/> 6.903-360.0	Scratcher and Scraper Tool, 61 mm ID

■ Included □ Optional

NT 35/1 Accessories

Order No.	Description
<input type="checkbox"/> 6.903-033.0	Crevice tool, 11.4" (290 mm) Crevice Tool, Plastic
<input type="checkbox"/> 6.906-554.0	Floor tool, 14.2" (360 mm) X 1.6" (40 mm) ID All-Purpose Floor Tool Plastic with Rollers, Brush Strips and Standard Squeegee
<input type="checkbox"/> 6.902-081.0	Suction tube, 1.6' (0.5 m) Metal Suction Tube (40 mm ID) Stainless Steel
<input type="checkbox"/> 6.906-321.0	Suction hose, 1.6" (40 mm) X 13' (4 m) Suction Hose with Clip Connections

■ Included □ Optional

NT 65/2



For tackling tough jobs for industrial and commercial use.

Two powerful motors, patented filter system, semi-automatic filter cleaning and large container capacity enable long periods of use with constant suction power.

NT 65/2

- Accessory/suction hose storage
- Self-cleaning filter
- No filters to install or remove
- Electronic tank level monitor

Technical data

Container capacity	17.2 gallon (65 l)
Vacuum motor	18 AMPS
Water lift	88"
Max. power rating	1,265 W
Filtration system	Power filter clean
Cable length	33' (10 m)
Hose length & diameter	12' x 1.37" (3,658 mm x 35 mm)
Air flow rate	229 cfm
Operating noise level	74 dBA
Weight	41.9 lbs (19 kg)
Dimensions (L x W x H)	23.6" x 18.9" x 36.2" (600 mm x 480 mm x 920 mm)

Equipment

Product	Order No.	Description
NT 65/2	1.325-104.0	17-gallon wet vacuum with 24" front squeegee, with tools

Accessories

Order No.	Description	Order No.	Description
■ 6.904-285.0	NT 65/2 NT Paper Filter Bag 5-Pack (1 included with Machine)	□ 6.906-554.0	14.2" (370 mm) Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
■ 6.906-512.0	All-Purpose Nozzle	□ 6.906-383.0	17.7" (450 mm) Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
■ 6.900-514.0	1.6' (0.5 m) Metal Suction Tube (35 mm ID)	□ 4.130-413.0	19.7" (500 mm) Aluminum Oil Proof All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
■ 4.440-626.0	Suction Hose C DN35, 8'	□ 2.860-113.0	6.3" (160 mm) Turbo Nozzle, Plastic with Reducer 35/32
■ 6.900-514.0	Suction Tube, 1.4" (35 mm) X 1.6" (0.5 m)	□ 2.860-114.0	10.6" (270 mm) Turbo Nozzle, Plastic with Reducer 35/32
■ 6.906-240.0	Crevice Nozzle, 1.4" (35 mm)	□ 6.903-033.0	11.4" (290 mm) Crevice Tool
■ 6.906-554.0	14.2" (360 mm) X 1.6" (40 mm) ID All-Purpose Floor Tool Plastic with Rollers, Brush Stripes and Standard Squeegee	□ 6.900-385.0	8.3" (210 mm) Crevice Nozzle, Plastic
■ 6.903-033.0	11.4" (290 mm) Crevice Tool	□ 6.906-240.0	9.8" (250 mm) Crevice Nozzle, Plastic
■ 6.902-081.0	1.6' (0.5 m) Metal Suction Tube (40 mm ID) Stainless Steel	□ 6.900-922.0	14.6" (370 mm) Crevice Nozzle, Metal
■ 6.906-321.0	1.6" (40 mm) X 13' (4 m) Suction Hose with Clip Connections	□ 6.905-817.0	15.8" (400 mm) Crevice Nozzle, Metal
□ 6.904-364.0	NT 65/2 NT HEPA Dust Filter Element	□ 6.903-033.0	11.4" (290 mm) Crevice Nozzle, Plastic
□ 2.637-595.0	Universal Accessory Kit (Includes 3M Suction Hose, 2 Metal Extensions, 1 Angle, 1 All-Purpose Tool, 1 Crevice Tool, 1 Upholstery Tool, 1 Carpet/Hard Floor Tool, 1 Floor Tool for Wet Pick-Up)	□ 6.906-108.0	3.5" (90 mm) Car Cleaning Nozzle, 35 mm ID
□ 2.637-352.0	Building Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Angle, 1 Crevice Tool, 1 Floor Tool)	□ 6.900-952.0	3.5" (90 mm) Car Cleaning Nozzle, 40 mm ID
□ 2.637-353.0	Professional Cleaning Kit (Includes 4M Suction Hose, 2 Metal Extensions, 1 Bend, 1 Crevice Tool, 1 Floor Tool with Rollers)	□ 6.900-233.0	4.7" (120 mm) Plastic Upholstery Nozzle, 35 mm ID
□ 2.862-166.0	Car Cleaning Kit (Includes 1 Car Vacuuming Tool, 1 35MM Upholstery Tool, 1 40/35MM Reducer, 1 Crevice Tool, 1 Suction Brush)	□ 6.903-034.0	Radiator Brush for use with 6.900-385.0
□ 2.637-355.0	Industrial Kit (Includes 4M Oil-Resistant Hose, 1 Bend, 2 Metal Extensions, 1 Crevice Tool, 1 Aluminum Surface Tool, 1 Metal Floor Tool)	□ 6.903-035.0	Brush
□ 6.906-511.0	10.6" (270 mm) Dry Combination Nozzle, Plastic with Stainless Steel Plate	□ 6.903-036.0	Plastic, Pipe Diameter 7.8" (200 mm)
□ 6.906-384.0	14.6" (370 mm) Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Stripes and Oil Resistant Squeegees	□ 6.903-862.0	Suction Brush, Natural Hair, Pivotable, 35 mm ID
□ 6.906-513.0	10.2" (360 mm) Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips	□ 2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID
□ 6.903-018.0	14.6" (370 mm) Aluminum All-Purpose Head with Height-Adjustable Rollers, Brush Stripes and Rubber Lips	□ 2.863-147.0	All-Purpose Brush, Soft 35 mm ID
■ Included □ Optional		□ 6.903-360.0	Scratcher and Scraper Tool, 61 mm ID

NT 68/1



Designed with water pick-up in mind.

The NT 68/1 offers more efficient water pick up with its front mounted and self-adjusting squeegee assembly. It's unique 18 gallon capacity is designed to empty complete without the need for tipping.

NT 68/1

- 24" Front-mounted squeegee
- On-board tool and safety sign storage
- Ergonomic and durable powder-coated handle
- Crush-proof hose
- Large transport wheels

Technical data

Container capacity	gallons	18 gallon (68 l)
Vacuum motor	amps	10
Water lift		80"
Max. power rating		1380 W
Cable length		50'
Hose length & diameter		8' x 1.37" (2,438 mm x 35 mm)
Air flow rate		142 cfm
Operating noise level		71 dBA
Weight		64 lbs (29 kg)
Dimensions (L x W x H)		35.5" x 24.5" x 37.5" (901 mm x 622 mm x 953 mm)

Equipment

Product	Order No.	Description
NT 68/1	1.103-494.0	18-gallon wet vacuum with 24" front squeegee, with tools
NT 68/1	1.103-495.0	18-gallon wet vacuum with 24" front squeegee
NT 68/1	1.103-021.0	18-gallon wet vacuum

Accessories

Order No.	Description
<input type="checkbox"/> 6.414-789.0	Cylindrical Dust Filter
<input type="checkbox"/> 6.904-285.0	Paper Filter Bag (5-Pack, 1 Bag Included with Machine)
<input type="checkbox"/> 6.900-385.0	8.3" (270 mm) All Purpose Crevice Nozzle
<input type="checkbox"/> 6.906-240.0	Crevice Nozzle, DN35, 9.8" (250 mm), Plastic
<input type="checkbox"/> 6.906-384.0	14.6" (370 mm) Aluminum All-Purpose Nozzle with Height-Adjustable Rollers, Brush Strips and Oil Resistant Squeegees
<input type="checkbox"/> 6.906-513.0	10.2" (360 mm) Plastic All-Purpose Nozzle with Height-Adjustable Rollers, Brush stripes and Rubber Lips
<input type="checkbox"/> 6.903-018.0	14.6" (370 mm) Aluminum All-Purpose Head with Height-Adjustable Rollers, Brush Stripes and Rubber Lips
<input type="checkbox"/> 6.906-554.0	14.2" (370 mm) Plastic All-Purpose Head with Rollers, Brush Strips and Standard Squeegee
<input type="checkbox"/> 6.906-383.0	17.7" (450 mm) Aluminum All-Purpose Head with Height-Adjustable rollers, Brush Stripes and oil-resistant Squeegees
<input type="checkbox"/> 2.860-113.0	6.3" (160 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 2.860-114.0	10.6" (270 mm) Turbo Nozzle, Plastic with Reducer 35/32
<input type="checkbox"/> 6.903-033.0	11.4" (290 mm) Crevice Tool
<input type="checkbox"/> 6.900-385.0	8.3" (210 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.900-922.0	14.6" (370 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.905-817.0	15.8" (400 mm) Crevice Nozzle, Metal
<input type="checkbox"/> 6.903-033.0	11.4" (290 mm) Crevice Nozzle, Plastic
<input type="checkbox"/> 6.906-108.0	3.5" (90 mm) Car Cleaning Nozzle, 35 mm ID
<input type="checkbox"/> 6.900-952.0	3.5" (90 mm) Car Cleaning Nozzle, 40 mm ID
<input type="checkbox"/> 6.900-233.0	4.7" (120 mm) Plastic Upholstery Nozzle, 35 mm ID
<input type="checkbox"/> 6.903-034.0	Radiator Brush for use with 6.900-385.0
<input type="checkbox"/> 6.903-035.0	Plastic, Pipe Diameter 3.9" (100 mm)
<input type="checkbox"/> 6.903-036.0	Plastic, Pipe Diameter 7.8" (200 mm)
<input type="checkbox"/> 6.903-862.0	Suction Brush, Natural Hair, Pivotal, 35 mm ID
<input type="checkbox"/> 2.860-116.0	Nozzle Set, Crevice Tool, Upholstery Tool, Round Brush, 35 mm ID
<input type="checkbox"/> 2.863-147.0	All-Purpose Brush, Soft Bristles 35 mm ID

■ Included □ Optional

T 12/1



Cleaning in peace and quiet.

These dry vacuum cleaners are extremely quiet and therefore suitable for noise-sensitive areas such as hotels, reception areas and hospitals. Ergonomic foot switch and carry handle for stress-free working.

T 12/1

- 3 gallon tank
- 4 stage filtration, 99% at 0.3 microns
- Designed for easy mobility to the job
- 10" (254 mm) cleaning path

Technical data

Air flow rate	130 cfm (61 l / s)
Water lift rating	98" water lift
Container capacity	3 gallon (12 l)
Max. power rating	1.7 hp -1300 W
Hose length / diameter	8.2' / 1.25" (2.5 m / 32 mm)
Cable length	40' (12 m)
Operating noise level	61 dBA
Cleaning path	10" (254 mm)
Weight	14.5 lbs (6.6 kg)
Dimensions (L x W x H)	16.1" x 12.4" x 13.3" (410 mm x 315 mm x 340 mm)

Equipment

Product	Order No.	Description
T 12/1	1.355-127.0	3-gallon vacuum

Accessories

Order No.	Description
■ 4.440-907.0	8.2' Hose Including Comfortable Hand Grip
■ 6.906-618.0	2-Piece Metal Wand
■ 5.731-619.0	Round Filter Insert (for operation without Filter Bags)
■ 6.906-696.0	Combination Carpet & Hard Floor Tool
■ 6.904-315.0	Filter Bag Fleece (10 PK)
□ 6.904-321.0	Fleece Tear-Proof Bags (200 Count)
□ 6.904-312.0	Filter Bag Paper (10 PK)
□ 6.904-318.0	Bulk Pack Paper Filter Bags (200 Count)
□ 6.904-316.0	Fabric Filter Bag
□ 6.414-801.0	HEPA Filter
□ 2.860-143.0	Tool Set (Upholstery, crevice, brush - Wand Clip-on)
□ 6.903-402.0	Upholstery Tool - 4.72", Plastic
□ 6.903-403.0	Crevice Tool
□ 6.903-887.0	Dusting Brush, Plastic
□ 6.903-524.0	Adjustable Height Wand
□ 2.860-114.0	Suction Driven Floor Tool
□ 2.860-113.0	Upholstery Hand Tool

■ Included □ Optional

BV 11/1 HEPA



Productivity with more comfort.

The BV 11/1 HEPA is a portable back mounted vacuum great for increasing productivity, efficiency, while saving you money. It now features HEPA filtration standard. The BV 11/1 HEPA is available in six or ten quart filter bag designs with a powerful 1.7 hp vacuum motor. We made this the most comfortable back mounted vacuum available with light weight and ergonomic harness system. To ensure ultimate air quality we designed this machine with four-stage vacuum filtration.

BV 11/1

- 2.5 gallon capacity
- Ergonomically designed
- 6-piece tool kit
- Molded polyethylene housing

Technical data

Air flow rate	cfm	112 cfm (52 l / s)
Water lift rating	inches	104" water lift
Container capacity	gallons	1.5 / 2.5 gallon
Max. power rating	hp	1.6 hp -1300 W, flow through design with internal thermal protection
Hose length / diameter	inches	5' / 1.5" (1.5 m / 38 mm)
Cable length	feet	50' (15.2 m)
Operating noise level	dBA	67 dBA
Weight	lbs	11 lbs (5 kg)
Dimensions (L x W x H)	inches	23.7" x 8.8" x 10.5" (602 mm x 215 mm x 268 mm)

Equipment

Product	Order No.	Description
BV 11/1	9.840-514.0	10-quart back pack vacuum

Accessories

Order No.	Description
■ 8.619-894.0	Hose Assembly
■ 8.628-666.0	Wand, 2 PC Aluminum Double Curve
■ 8.619-884.0	Filter Bag Liner, Cloth VP10
■ 8.600-008.0	5" Upholstery Tool
■ 8.600-007.0	3" Dusting Tool
■ 8.628-451.0	Crevice Tool
■ 8.619-885.0	Filter Bag, VP10 Paper Pkg/10
■ 8.619-887.0	Filter Dome
■ 8.604-141.0	Tool Kit, back-pack vacuum (includes 5 items below)
■ 8.628-360.0	Upholstery Brush
■ 8.600-009.0	Tube, 20" Extension
□ 8.637-872.0	HEPA Filter Vacpac Upgrade Kit: includes filters, gasket, filter housing, fastener set
□ 8.637-871.0	HEPA Filter Vacpac Kit: includes filters. HEPA Filter Upgrade Kit 8.637-872.0 must be installed first.
□ 8.602-579.0	High-efficiency filter kit for BV 11/1 (includes 10 bags & 2 motor filters)
□ 8.609-022.0	Spotter Wand (for use with 8.606-312.0 & 8.603-302.0)
□ 8.606-312.0	Tool, Spot Lite (requires 8.609-022.0)
□ 8.603-302.0	Tool, Quick Sweep
□ 8.604-143.0	Vac Pac Overhead Kit
□ 9.840-611.0	Air Turbine Tool with Wand
□ 8.604-142.0	Vac Pac Floor Pick-Up Kit
□ 8.604-144.0	Vac Pac Spotlight Kit
□ 8.604-145.0	Vac Quick Sweep
□ 8.628-332.0	Air Turbine Tool
□ 8.628-454.0	Tool, Smooth Sweep
□ 8.628-463.0	Wand, 1 PC Chrome Steel Single Curve
□ 8.628-451.0	Tool, 28" Plastic Crevice
□ 8.628-445.0	Tool, Carpet
□ 8.628-444.0	Tool, Bristle Shod Dry Pick-Up


■ Included □ Optional

ECO! T11 BP CARTVAC



Daytime cleaning redesigned.

The Kärcher ECO! T11 Bp Liner CartVac is a professional mobile cleaning solution designed with an integrated vacuum. The clean design of the Kärcher CartVac allows for organized storage of cleaning supplies, providing a more professional appearance than today's janitorial carts.



Designed and engineered
by Kärcher North America

ECO! T11 Bp Liner

- 10-quart vacuum bag capacity
- 20 feet, 4:1 flex hose for maximum reach
- Large 12" wheels for added mobility
- 10-year body warranty

ECO! T11 Bp Liner Deluxe

- Trash can and Home Base included
- 10-quart vacuum bag capacity
- 20 feet, 4:1 flex hose for maximum reach
- Large 12" wheels for added mobility
- 10-year body warranty

Technical data

Technical data			
Air flow rate	cfm	85	85
Vacuum (WC)	inches	65	65
Trash container capacity	gallons	N/A	40
Vacuum bag capacity	quart	10	10
Max power rating	W	500	500
Voltage	V	120	120
Power cord length	feet	20	20
Weight (without accessories)	lbs	180	194
Operating noise level	dba	58 at wand, 53 at machine body	58 at wand, 53 at machine body
Dimensions (L x W x H)	inches	46 x 25 x 43	46 x 25 x 43

Equipment

Product	Order No.	Description
ECO! T11 Bp Liner	1.013-100.0	10-quart CartVac
ECO! T11 Bp Liner Deluxe	1.013-101.0	10-quart CartVac with trash can and Home Base

Accessories

Order No.	Description
■ 6.907-410.0	Floor tool
■ 6.903-403.0	Crevice tool
□ 8.634-487.0	Upholstery tool
□ 8.619-885.0	10-quart paper bags, 10-count
□ 8.637-463.0	Battery
□ 8.640-211.0	Cloth vacuum bag
□ 6.980-078.0	Home Base mop/broom clip
□ 8.640-187.0	Trash can, 40-gallon
□ 8.640-189.0	Home Base supply pouch

■ Included □ Optional