

# READY-STACK HOSE REELS.

**NEW**

## Move up to 400' of hose.

Easily manage high-pressure hoses with a new series of accessories from Kärcher. Move up to 400' of hose in place with stackable hose reels and cart. The integrated frame protects the hose and is ready to stack out of the box, saving time and money. Maneuver over obstacles and make cleaning easier with the adjustable hose riser.

Patent D739,715S and other Patents Pending.



### Technical Data

Model	Part No.	Length (ft.)	Description	
Ready-Stack hose reels	1	9.801-763.0	100	Mild steel, 6000 PSI, 350°F
Ready-Stack hose reels	2	9.801-764.0	200	Mild steel, 6000 PSI, 350°F
Ready-Stack hose reels	3	9.801-765.0	100	Stainless Steel, 6000 PSI, 350°F
Ready-Stack hose reels	4	9.801-766.0	200	Stainless Steel, 6000 PSI, 350°F
Ready-Stack hose guide	5	8.923-415.0	100	Hose Guide for 100 Ft Reel
Ready-Stack hose guide	6	8.923-427.0	200	Hose Guide for 200 Ft Reel
Ready-Stack hose reel riser	7	8.923-416.0	-	Hose Reel Riser, feed hose over and around obstacles
Ready-Stack hose reel cart system	8	8.923-918.0	-	Reel Cart System, easily move multiple hoses and reels where needed.


For more information, call 888-805-9852 or visit [www.karcher.com/us](http://www.karcher.com/us)

# KÄRCHER

makes a difference

**Designed for ease of use and durability.**

Fully assembled and ready to use out of the box



## Hose Reels



Fixed Base Hose Reel



360° Pivot Reel

### Rugged heavy-duty construction

- Heavy gauge steel fabrication
- Gloss black powder coating
- Easy to use brake mechanism reduces unwinding backlash
- Oversized locking mechanism prevents slippage during reel operation
- Durable handle

## Kärcher Hose Reels

Available in 100' and 200' reels in both a fixed base and 360 degree rotating base. The oversized reel holds the advertised length plus leaves additional space reducing the difficulty of reeling hose. The unique extended swivel improves the hose connection and reduces hose wear and stress.



### Smart features

- "Flip-Over" hose guide: Allows ease of use from either side of the reel
- Oversized: Oversized to easily fit the advertised length of hose
- Swivel design: The reels come with an extended swivel which prevents bends and stress on the hose where it attaches to the reel. Swivels carry a two year warranty.
- Rotary mount: 360 degree rotation with an oversized heavy-duty locking mechanism. Allows for continual alignment with the hose. Mount to round or square tubing.

# Technical Data and Equipment

## Hose Reel

- Rated for 5000 PSI
- Rated for 325°F
- 100' and 200' fixed base
- 100' and 200' 360 degree rotating base
- High pressure double seal swivels
- Reels equipped for 3/8" hose
- Easily convertible to 1/2" hose with the change to a 1/2" swivel



### Technical Data

Part No.	Description	Length
8.750-682.0	Fixed Base	100' x 3/8"
8.750-685.0	Pivot Reel	100' x 3/8"
8.750-683.0	Fixed Base	200' x 3/8"
8.750-684.0	Pivot Reel	200' x 3/8"
8.920-146.0	Pivot Reel, Trailer Mount	100' x 3/8"
8.920-147.0	Pivot Reel, Trailer Mount	200' x 3/8"

### Bracket Sockets / Brackets

Part No.	Description
8.920-127.0	Trailer mount support, pivot reels
8.919-430.0	Universal mount
8.919-794.0	Skid mount
8.919-437.0	Wall mount
8.919-434.0	Base mount
8.921-775.0	Classic pivoting hose reel bracket mount



### Non-Pivot Reel Brackets

8.919-072.0	Bracket, universal
8.919-445.0	Bracket, 90°
8.919-441.0	Bracket, 45°
8.919-448.0	Bracket, Vertical



### Hose Reel Swivels



- 5000 PSI
- Stainless steel rotor
- Unique dual seal for extra long life
- 2 year warranty

Part No.	Inlet x Outlet
9.118-021.0*	1/2" M x 3/8" F
9.118-022.0**	1/2" F x 3/8" F
9.118-023.0	3/8" M x 3/8" F
9.118-024.0	3/8" F x 3/8" F
9.118-025.0	1/2" M x 1/2" F
9.118-026.0	1/2" F x 1/2" F
9.118-027.0	3/8" M x 1/2" F
9.118-028.0	3/8" F x 1/2" F

### Hose Reel Extended Swivels



- Limit bend and hose stress
- 5000 PSI
- Stainless steel rotor
- Unique dual seal for extra long life
- 2 year warranty

Part No.	Inlet x Outlet
9.118-020.0*	1/2" M x 3/8" F
9.118-029.0	1/2" F x 3/8" F
9.118-030.0	3/8" M x 3/8" F
9.118-031.0	3/8" F x 3/8" F
9.188-032.0	3/8" F x 1/2" F
9.188-033.0	3/8" M x 1/2" F
9.188-034.0	1/2" F x 1/2" F
9.118-035.0	1/2" M x 1/2" F
8.776-010.0	Swivel Repair Kit , Extended 1/2" M x 3/8" F

\* Replacement swivel for Kärcher hose reel \*\* Replacement swivel for Rapid Reel