### **ACCESSORIES**



### GAS PRESSURE WASHERS

### Part Number List Price (USD)



- Quickly adjust the pressure of your pressure washer
- Perfect complement to VersaGRIP Spray Gun
- Max 4000 PSI
- Fits most brands (see your owner's manual for pressure control compatibility)

#### NAME

#### Pressure Control

Part Number

8.641-049.0



- 3.5 Orifice Size
- Intense cleaning spray
- Max 4000 PSI
- Fits most brands



- 3.5 Orifice Size
- Great for general cleaning applications
- Max 4000 PSI
- Fits most brands

#### NAME

#### 0° Quick-Connect Nozzle

Part Number

8.641-026.0

#### 15° Quick-Connect Nozzle

8.641-027.0





# **KARCHER**



Works in tandem with your gas pressure washer to quickly deliver professional level cleaning without splash back. Cleans an area 15" wide with two spinning nozzles instead of one, reducing your cleaning time. Eliminates streaks by keeping the nozzles at a fixed height from the surface.



Includes rotating brush, soft bristle brush and adapters that are compatible with all Kärcher pressure washers, as well as most brands of gas pressure washers.



Made with extra soft synthetic bristles that are safe for all painted surfaces. Automatically dispenses detergent to help remove dirt and grime. Ideal for use on cars, trucks, motorcycles, boats, patio furniture and other delicate surfaces. Easily attaches to the trigger gun. Includes adapters



Incoming water pressure causes inner brushes to rotate, providing the right amount of agitation to easily remove stubborn dirt and debris. Detergent dispenses through the brush for effortless cleaning of most flat surfaces. Included adapters.

#### 15" Surface Cleaner

8.641-035.0

#### Universal Dual Brush Kit

8.923-681.0

#### Universal Standard Brush Kit

8.923-683.0

#### **Universal Rotating Brush Kit**

8.923-682.0



- Quickly adjust the spray pattern of your pressure washer
- Perfect complement to VersaGRIP Spray Gun
- Max 4000 PSI
- · Fits most brands



- Quickly change spray patterns to match you cleaning application
- Includes 0°, 15°, 25°, 40°, Rinse/Soap Nozzles
- Max 3300 PSI
- · Fits most brands



- Increases effective cleaning power by up to 50%
- Perfect for cleaning stubborn areas on driveways, concrete and stone
- Max 4000 PSI
- Quick Connect, fits most brands



- Easily reach hard-to-clean areas such as second floors
- Includes long-range spray and soap nozzles
- Max 4000 PSI
- Quick Connect, fits most brands

#### Variable Nozzle

8.641-048.0

#### 6-in-1 Quick Connect Nozzle

8.641-033.0

#### **Turbo Nozzle**

8.641-034.0

#### 2nd Story Nozzle Kit

8.641-032.0



- 3.5 Orifice Size
- Great for general cleaning applications

25° Quick-Connect Nozzle

- Max 4000 PSI
- Fits most brands



- 3.5 Orifice Size
- Great for general cleaning applications
- Max 4000 PSI
- Fits most brands



8.641-029.0



- Automatically dispenses soap at low pressure
- Reduces cleaning time, suitable for most applications
- Max 4000 PSI
- Fits most brands

#### **Quick-Connect Soap Nozzle**

8.641-030.0



- Includes 0°, 15°, 25°, 40°, Rinse/Soap Nozzles
- Color-coded for ease of use
- Max 4000 PSI
- Fits most brands

#### 5-Pack Quick-Connect Nozzle

8.641-031.0

8.641-028.0

## **ACCESSORIES**

# GAS PRESSURE WASHERS





- M22 Female Threaded Fittings
- 25ft Thermoplastic Hose
- Rated to 3600 PSI
- Fits most brands



- 3/8" Male Quick-Connect
- 25ft Thermoplastic Hose
- Rated to 3600 PSI
- Fits most brands

M22 Replacement Hose

8.641-136.0

Quick-Connect Replacement Hose

8.641-137.0



Part Number

M22 x 1/4" Female Swivel

8.641-038.0

M22 x 3/8" Female Swivel

8.641-036.0



M22 x 1/4" Male Swivel

8.641-039.0

M22 x 3/8" Male Swivel

8.641-037.0



# **KARCHER**



- 50' high pressure hose made from commercial-grade rubber, resists kinking
- Includes adapters for compatibility with both quick connect and M22 threaded connections
- Compatible with gas pressure washers rated up to 4000 PSI
- Made in USA



9.558-124.0



- Stainless Steel
- M22 Connection
- Max 4000 PSI
- Fits most brands



- Dual Trigger Technology for multiple positions
- Fatigue reducing butt stock
- Overmolded grips for comfortable use
- 3/8" Quick Connect Hose Fitting



- M22 Hose Connection
- Child safety lock
- Max 4000 PSI, 140°F / 60°C
- Fits most brands

#### se 24in Stainless Steel Lance

8.641-025.0

#### VersaGRIP™ Trigger Gun

8.755-203.0

#### Trigger Gun

8.641-024.0



1/4" QD Socket x 1/4" Female

8.641-042.0

3/8" x 3/8" Female QC Socket

8.641-040.0

M22 x 3/8" Female QC Socket

8.641-135.0



1/4" QD Socket x 1/4" Male

8.641-043.0

3/8" x 3/8" Male QC Socket

8.641-041.0



1/4" x 1/4" Male QC Plug

8.641-047.0

3/8" x 3/8" Male QC Plug

8.641-045.0



1/4" x 1/4" Female QC Plug

8.641-046.0

3/8" x 3/8" Female QC Plug

8.641-044.0