

GAS PRESSURE WASHERS

CLEANER.QUICKER.™

New for 2016



Our gas lineup is expanding in 2016 to include more units with crankshaft/triplex pumps and Honda engines.



VersaGRIP™ - 2016 will also see the launch of our all-new VersaGRIP™ trigger gun. Its patent-pending design and dual trigger technology will allow users to easily clean from different angles, even overhead.





GAS PRESSURE WASHERS

HD SERIES

Kärcher offers a full line of industrial and commercial grade pressure washers. Every Kärcher pressure washer is designed to withstand the most demanding conditions and applications. Only professional grade components are used to assure superior performance and durability. When you demand the best, insist on Kärcher.



NEW 2016

POWERED BY
HONDA



The HD 4.0/50 PeB roll cage design pressure washer is Kärcher's most powerful unit in our cold water line.

POWERED BY
HONDA



The HD 4.0/40 AGB is a "workhorse" pressure washer featuring a belt drive and triplex pump for longer life and superior performance and is backed by an industry-leading warranty.

NEW 2016

POWERED BY
HONDA



The HD 4.0/41 is a high-performing pressure washer on a corrosion-resistant aluminum frame which can be converted from the standard cart configuration to a skid configuration, offering maximum flexibility.

MODEL	HD 4.0/50 PeB Cage	HD 4.0/40 AGB	HD 4.0/41 AG
Part Number	1.575-200.0	9.807-725.0	9.807-721.0
PERFORMANCE DATA			
PSI	5000	4000	4100
GPM	4.0	4.0	4.0
STANDARD ACCESSORIES			
	• Quick Connect Hose & Gun • 50' High Pressure Wire Braided Hose • 4 Quick Connect Nozzles	• Quick Connect Hose & Gun • 50' High Pressure Wire Braided Hose • 4 Quick Connect Nozzles	• Quick Connect Hose & Gun • 50' High Pressure Wire Braided Hose • 4 Quick Connect Nozzles
ENGINE SPECIFICATIONS			
Motor/Engine Brand	Honda GX630	Honda GX390	Honda GX390
CC	688	389	389
PUMP SPECIFICATIONS			
Pump Brand	Kärcher KM	Kärcher	Kärcher
Pump Drive	Belt	Belt	Direct
Cold/Hot Water	Cold	Cold	Cold
Pump Type	Crankcase/Triplex	Crankshaft / Triplex	Crankshaft / Triplex
DESIGN SPECIFICATIONS			
Color Frame/Housing	Black	Silver	Silver
Chassis/Frame Type	Roll Cage	Aluminum	Aluminum
Type of Tires	Flat Free	10" Flat Free	10" Flat Free

7 yr limited pump warranty

7 yr limited pump warranty

7 yr limited pump warranty



NEW 2016

POWERED BY
HONDA



The HD 3.0/27 AGB is a belt driven pressure washer and triplex pump offering extended durability and performance with a flexible option to convert to a skid configuration.

NEW 2016

POWERED BY
HONDA



The HD 3.0/27 AG is a direct drive pressure washer with a triplex pump offering premium performance at a competitive price.



The HD 3.5/20 EA is designed to clean indoors and out, and delivers 2000 PSI of concentrated cleaning power.



The HD 2.8/10 ED is designed to clean indoors and out, and delivers 2.8 GPM for quick and efficient cleaning.

HD 3.0/27 AGB

9.807-723.0

2700
3.0

STANDARD ACCESSORIES

- Quick Connect Hose & Gun
- 50' High Pressure Wire Braided Hose
- 4 Quick Connect Nozzles

Honda GX200
196

Kärcher
Belt
Cold
Crankshaft / Triplex

Silver
Aluminum
10" Flat Free

7 yr limited pump warranty

HD 3.0/27 AG

9.807-719.0

2700
3.0

STANDARD ACCESSORIES

- Quick Connect Hose & Gun
- 50' High Pressure Wire Braided Hose
- 4 Quick Connect Nozzles

Honda GX200
196

Kärcher
Direct
Cold
Crankshaft / Triplex

Silver
Aluminum
10" Flat Free

7 yr limited pump warranty

HD 3.5/20 EA

1.575-253.0

2000
3.5

STANDARD ACCESSORIES

- Quick Connect Hose & Gun
- 50' High Pressure Wire Braided Hose
- 5 Quick Connect Nozzles
- Downstream Detergent Injector

Baldor 230V / 1 ph
22 A

Kärcher KE
Direct
Cold
Crankshaft / Triplex

Titanium
Pro Style (welded)
10" Tubed Pneumatic

7 yr limited pump warranty

HD 2.8/10 ED

1.575-252.0

1000
2.8

STANDARD ACCESSORIES

- 36' Electrical cord
- Ergonomic High -pressure trigger gun
- 5 Quick Connect Nozzles

Baldor 120V / 1 ph
20 A

Kärcher KE
Direct
Cold
Crankshaft / Triplex

Chrome Handle
Steel Frame and chassis
10" Tubed Pneumatic

7 yr limited pump warranty

GAS PRESSURE WASHERS

PRO SERIES

Solid brass pump heads, durable welded frames and patented technology – the Pro Series delivers on the Kärcher Promise: Cleaner. Quicker.



MODEL	G 4000 OH	G 3800 OHT
Part Number	1.194-801.0	1.107-278.0
PERFORMANCE DATA		
PSI	4000	3800
GPM	3.6	3.2
STANDARD ACCESSORIES	• Includes VersaGRIP™ • Remote Pressure Control • 50 Ft. Steel-Braided Rubber Hose • Stainless Steel Spray Wand • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Detergent Siphon Tube • Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder	• Includes VersaGRIP™ • Remote Pressure Control • 50 Ft. Steel-Braided Rubber Hose • Stainless Steel Spray Wand • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Detergent Siphon Tube • Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder
ENGINE SPECIFICATIONS		
Motor/Engine Brand	Honda GX390	Honda GX270
CC	389	270
Carb Compliant	CARB/EPA III	CARB/EPA III
PUMP SPECIFICATIONS		
Type of Pump	Axial	Crankshaft/Triplex
Pump Head	Brass	Brass
Engine/Pump Configuration	Horizontal	Horizontal
Water Inlet Pump-Material	Brass Garden Hose	Brass Garden Hose
DESIGN SPECIFICATIONS		
Color Frame/Housing	Titanium Powder Coat	Titanium Powder Coat
Type of Tires	10" Pneumatic w/Metal Wheels	10" Pneumatic w/Metal Wheels

3 yr limited engine warranty

3 yr limited engine warranty

2 yr limited pump warranty

2 yr limited pump warranty



NEW 2016

POWERED BY
HONDA



PERFORMANCE DRIVEN
KXS
KÄRCHER ENGINE



PERFORMANCE DRIVEN
KXS
KÄRCHER ENGINE



G 3500 OHT

1.107-268.0

3500
2.5

STANDARD ACCESSORIES

- Includes VersaGRIP™
- 25 Ft. Steel-Braided Rubber Hose
- 22" Spray Wand
- Quick Connect Nozzles (0, 15, 25, 40, Soap)
- Detergent Siphon Tube
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

G 3500 OCT

1.107-261.0

3500
3.2

STANDARD ACCESSORIES

- Remote Pressure Control
- 50 Ft. Steel-Braided Rubber Hose
- Standard Trigger Gun
- Quick Connect Nozzles (0, 15, 25, 40, Soap)
- Detergent Siphon Tube
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

G 3200 OCT

1.107-260.0

3200
2.5

STANDARD ACCESSORIES

- 25 Ft. Steel-Braided Rubber Quick Connect High Pressure Hose
- Standard Trigger Gun
- Quick Connect Nozzles (0, 15, 25, 40, Soap)
- Detergent Siphon Tube
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

Honda GX200
200
CARB/EPA III

Crankshaft/Triplex
Brass
Horizontal
Brass Garden Hose

Titanium Powder Coat
10" Pneumatic w/Metal Wheels

Kärcher (KXS)
300
CARB/EPA III

Crankshaft/Triplex
Brass
Horizontal
Brass Garden Hose

Titanium Powder Coat
10" Pneumatic w/Metal Wheels

Kärcher (KXS)
196
CARB/EPA III

Crankshaft/Triplex
Brass
Horizontal
Brass Garden Hose

Titanium Powder Coat
10" Pneumatic w/Metal Wheels

3 yr limited engine warranty

2 yr limited pump warranty

3 yr limited engine warranty

2 yr limited pump warranty

3 yr limited engine warranty

2 yr limited pump warranty



GAS PRESSURE WASHERS

EXPERT SERIES

ADVANCED SOLUTIONS. ENHANCED PERFORMANCE.

Kärcher's Expert Series features the most ergonomic frame on the market. With a balanced center of gravity, these units are very easy to move and transport. The welded frame folds down to make the pressure washer easy to lift and compact to store. Tie down slots add a useful function that you won't find on most units!



MODEL	G 3200 XH	G 3200 XC
Part Number	1.107-156.0	1.107-263.0
PERFORMANCE DATA		
PSI	3200	3200
GPM	2.5	2.5
STANDARD ACCESSORIES	• Quick-Connect Accessories • 25 ft High Pressure Hose • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Onboard Detergent Tank w/Regulator • Accessory Hanger • Collapsible Handle w/Foam Grip	• Quick-Connect Accessories • 25 ft High Pressure Hose • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Onboard Detergent Tank w/Regulator • Accessory Hanger • Collapsible Handle w/Foam Grip
ENGINE SPECIFICATIONS		
Motor/Engine Brand	Honda GX200	Kärcher (KXS)
CC	200	196
Carb Compliant	CARB/EPA III	CARB/EPA III
PUMP SPECIFICATIONS		
Type of Pump	Axial, Direct-Drive	Axial, Direct-Drive
Pump Head	Brass	Brass
Engine/Pump Configuration	Horizontal	Horizontal
Water Inlet Pump-Material	Brass Garden Hose	Brass Garden Hose
DESIGN SPECIFICATIONS		
Color Frame/Housing	Titanium Powder Coat	Titanium Powder Coat
Type of Tires	10" Pneumatic w/Metal Wheels	10" Pneumatic w/Metal Wheels
3 yr limited engine warranty		3 yr limited engine warranty
2 yr limited pump warranty		2 yr limited pump warranty

GAS PRESSURE WASHERS



Patented Commercial Grade Pump with Brass Head

- ~ Non-corrosive, tempered hardened steel pistons
- ~ Patented swash plate design produces less vibration and prolongs pump life
- ~ Siphon capable: Drawing from a standing or collected water source



NEW 2016

POWERED BY
HONDA



PERFORMANCE DRIVEN
KXS
KÄRCHER ENGINE



MODEL	G 3200 OH	G 3200 OC
Part Number	1.107-267.0	1.107-259.0
PERFORMANCE DATA		
PSI	3200	3200
GPM	2.5	2.5
STANDARD ACCESSORIES		
	• VersaGRIP™ • Quick Connect Accessories • 25 Ft. Quick Connect High Pressure Hose • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Detergent Siphon Tube • Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder	• Quick Connect Accessories • 25 Ft. Quick Connect High Pressure Hose • Quick Connect Nozzles (0, 15, 25, 40, Soap) • Detergent Siphon Tube • Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder
ENGINE SPECIFICATIONS		
Motor/Engine Brand	Honda GC190	Kärcher (KXS)
CC	187	196
Carb Compliant	CARB/EPA III	CARB/EPA III
PUMP SPECIFICATIONS		
Type of Pump	Axial	Axial
Pump Head	Brass	Brass
Engine/Pump Configuration	Horizontal	Horizontal
Water Inlet Pump-Material	Brass Garden Hose	Brass Garden Hose
DESIGN SPECIFICATIONS		
Color Frame/Housing	Titanium Powder Coat	Titanium Powder Coat
Type of Tires	10" Pneumatic w/Metal Wheels	10" Pneumatic w/Metal Wheels

2 yr limited engine warranty

3 yr limited engine warranty

2 yr limited pump warranty

2 yr limited pump warranty



NEW 2016

NEW 2016

POWERED BY
HONDA



PERFORMANCE DRIVEN
KXS
KÄRCHER ENGINE



G 3000 OH

1.107-281.0

3000
2.5

STANDARD ACCESSORIES

- M22 Threaded Accessories
- 25 Ft. High Pressure Hose
- Quick Connect Nozzles (0, 15, 25, 40, Soap)
- Detergent Siphon Tube
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

G 2800 OC

1.107-258.0

2800
2.3

STANDARD ACCESSORIES

- Total Control Spray Wand
- Remote Pressure Control
- Select from 1600 - 2800 PSI
- 25 Ft. Quick Connect High Pressure Plastic Hose
- Vario Nozzle
- Detergent Siphon Tube
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

G 2700

1.107-266.0

2700
2.3

STANDARD ACCESSORIES

- M22 Threaded Accessories
- 25 Ft. High Pressure Hose
- Quick Connect Nozzles (0, 15, 25, 40, Soap)
- Detergent Siphon Tube
- Folding Frame
- Hose & Trigger Gun Holder with Integrated Spray Nozzle Holder

Honda GC190
187
CARB/EPA III

Axial
Brass
Horizontal
Brass Garden Hose

Titanium Powder Coat
10" Pneumatic w/Metal Wheels

Kärcher (KXS)
196
CARB/EPA III

Axial
Aluminum
Horizontal
Brass Garden Hose

Titanium Powder Coat
10" Pneumatic w/Metal Wheels

Kärcher (KPS)
196
CARB/EPA III

Axial
Aluminum
Vertical
Brass Garden Hose

Titanium Powder Coat
8" Pneumatic w/Metal Wheels

2 yr limited engine warranty

3 yr limited engine warranty

3 yr limited engine warranty

2 yr limited pump warranty

2 yr limited pump warranty

2 yr limited pump warranty

INNOVATION AND QUALITY – A RELENTLESS PURSUIT





Versa**GRIP**™

- Dual Trigger Technology for multiple applications, allows you to easily clean from different angles, even overhead
- Fatigue reducing stock
- Large soft grip for comfortable use.

K3 Follow Me

A Family Handyman™ Magazine Editors' Choice and Focus Design Award winner.